

Moodle Plugin Data Audit

The University of Nottingham Moodle system makes use of modular 'plugins' to provide functionality to users. Each of these plugins may store personal data in specific tables inside the main Moodle system.

On the following pages is a list of all of the available functionality in the Moodle system and a statement relating to what (if any) personal data that functionality stores (correct as of December 2020).

Note that the choice of functionality in a taught Moodle module is made by the module teaching team. An average Moodle module will make repeated use of a very small subset of the entire functionality available. Note that user data is only stored when a specific module makes use of that functionality.

University of Nottingham Moodle

[Dashboard](#) > [Site administration](#) > [Users](#) > [Privacy and policies](#) > [Plugin privacy registry](#)

Plugin privacy compliance registry

Icons used on this page and what they mean.



This plugin does not implement the Moodle privacy API. If this plugin stores any personal data it will not be able to be exported or deleted through Moodle's privacy system.

Additional

An additional plugin installed on this site.

Deprecated

This plugin is using an old version of one of the privacy interfaces and should be updated.

Userlist provider missing

This plugin has the base provider but should also implement the userlist provider for full support of privacy functionality.

[Collapse all](#)

▾ [Antivirus plugin](#)

▾ [ClamAV antivirus](#)

The ClamAV antivirus plugin does not store any personal data.

▾ [Availability restriction](#)

▾ [Restriction by activity completion](#)

The Restriction by activity completion plugin does not store any personal data.

▾ [Restriction by date](#)

The Restriction by date plugin does not store any personal data.

▾ [Restriction by grades](#)

The Restriction by grades plugin does not store any personal data.

▾ [Restriction by group](#)

The Restriction by group plugin does not store any personal data.

▾ [Restriction by grouping](#)

The Restriction by grouping plugin does not store any personal data.

▾ [Restriction by profile](#)

The Restriction by profile plugin does not store any personal data.



The restriction by profile plugin does not store any personal data.

▼ Question type

▼ Calculated

The Calculated question type plugin does not store any personal data.

▼ Calculated multichoice

The Calculated multichoice question type plugin does not store any personal data.

▼ Calculated simple

The Calculated simple question type plugin does not store any personal data.

▼ Drag and drop onto image

The Drag and drop onto image question type plugin does not store any personal data.

▼ Drag and drop markers

The Drag and drop markers question type plugin does not store any personal data.

▼ Drag and drop into text

The Drag and drop into text question type plugin does not store any personal data.

▼ Description

The Description question type plugin does not store any personal data.

▼ Essay

The Essay question type plugin does not store any personal data.

▼ Select missing words

The Select missing words plugin does not store any personal data.

▼ Matching

The Matching question type plugin does not store any personal data.

▼ Missing type

The Select missing words question type plugin does not store any personal data.

▼ Embedded answers (Cloze)

The Embedded answers (Cloze) question type plugin does not store any personal data.

▼ Multiple choice

The Multiple choice question type plugin does not store any personal data.



The Multiple choice question type plugin does not store any personal data.

▼ [Numerical](#)

The Numerical question type plugin does not store any personal data.

▼ [Pattern match](#) Additional

qtype_pmatch_testquestion Number of pattern match question attempts to show per page.
n_pagesize
user_preference

▼ [Random](#)

The Random question type plugin does not store any personal data.

▼ [Random short-answer matching](#)

The Random short-answer matching question type plugin does not store any personal data.

▼ [Short answer](#)

The Short answer question type plugin does not store any personal data.

▼ [True/False](#)

The True/False question type plugin does not store any personal data.

▼ [Variable numeric](#) Additional

The Variable numeric plugin does not store any personal data.

▼ [Variable numeric set](#) Additional

The Variable numeric set plugin does not store any personal data.

▼ [Activity module](#)

▼ [absenceform](#) Additional

absenceform_reasons database_table	Stores the reasons users have given for an absence
userid	The user who was absent
session_name	The name of the session the user was absent from
reason	The reason given by the user for their absence
notes	Additional notes given by the user to explain their absence
submit_time	The time at which the user submitted their reason

▼ [Allocation forms \(eForms\)](#) Additional

allocationform_choices database_table	Stores the choices a user has made on an allocation form
userid	The user making the choices
choice1	The user's first preference



choice2	The user's second preference
choice3	The user's third preference
choice4	The user's fourth preference
choice5	The user's fifth preference
choice6	The user's sixth preference
choice7	The user's seventh preference
choice8	The user's eighth preference
choice9	The user's ninth preference
choice10	The user's tenth preference
notwant	An option the user does not wish to be allocated to

allocationform_allocations database_table Stores the allocations made for the user

userid The user being allocated
allocation The option the user was allocated to

allocationform_disallow database_table Stores the options a user has been stopped from choosing

userid The user being restricted
disallow_allocation The option the user is restricted from selecting

▼ [Course Resource List](#) Additional

lti_client external_location In order to integrate with a remote Talis Aspire LTI Tool Provider, user data needs to be exchanged with Talis Aspire. No user data is stored in Moodle by this plugin

userid The userid is sent from Moodle to allow you to access your data in Talis Aspire.
role The role is sent from Moodle to allow you to have the right experience in Talis Aspire.
courseid The courseid is sent from Moodle to allow you to find the right list in Talis Aspire.
courseidnumber The courseidnumber is sent from Moodle to allow you to find the right list in Talis Aspire.
courseshortname The courseshortname is sent from Moodle to allow you to find the right list in Talis Aspire.
coursefullname The coursefullname is sent from Moodle to allow you to find the right list in Talis Aspire.

▼ [Assignment](#)

assign_grades database_table Stores user grades for the assignment

userid ID of the user
timecreated Time created
timemodified Last modified
grader The user ID of the person grading.
grade The numerical grade for this assignment submission. Can be determined by scales/advancedgradingforms etc but will always be converted back to a floating point number.
attemptnumber Attempt number

assign_overrides database_table Stores override information for the assignment

groupid Group ID that the user is a member of.
userid ID of the user
allowsubmissionsfromdate Allow submissions from
duedate Due date



cutoffdate	Cut-off date
assign_submission database_table	Stores user submission information
userid	ID of the user
timecreated	Time created
timemodified	Last modified
status	Grading status
groupid	Group ID that the user is a member of.
attemptnumber	Attempt number
latest	Greatly simplifies queries wanting to know information about only the latest attempt.
assign_user_flags database_table	Stores user meta data such as extension dates
userid	ID of the user
assignment	Assignment ID
locked	Lock submissions
mailed	Has this user been mailed yet?
extensionduedate	Extension due date
workflowstate	Marking workflow state
allocatedmarker	Allocated Marker
assign_user_mapping database_table	The mapping for blind marking
assignment	Assignment ID
userid	ID of the user
assign_perpage user_preference	Number of assignments shown per page.
assign_filter user_preference	Filter options such as 'Submitted', 'Not submitted', 'Requires grading', and 'Granted extension'
assign_markerfilter user_preference	Filter the assign summary by the assigned marker.
assign_workflowfilter user_preference	Filter by the different workflow stages.
assign_quickgrading user_preference	A preference as to whether quick grading is used or not.
assign_downloadasfolders user_preference	A user preference for whether multiple file submissions should be downloaded into folders
assignsubmission plugintype_link	Submission data for the assignment.
assignfeedback plugintype_link	Feedback data for the assignment.
core_message subsystem_link	Messages are sent to students through the messaging system.



assignment_submissions database_table	Assignment submissions associated with an assignment.
userid	The user ID submitting the assignment submission.
timecreated	The creation date/time of the assignment submission.
timemodified	The modification date/time of the assignment submission.
numfiles	The maximum number of files allowed for the assignment submission.
data1	The onlinetext submitted for the assignment submission.
data2	The tracked status for the assignment submission.
grade	The grade value awarded for the assignment submission.
submissioncomment	The submission comment accompanying the assignment submission.
teacher	The teacher user ID grading the assignment submission.
timemarked	The marking date/time of the assignment submission.
mailed	The mailed notification status of the assignment submission.

assignment_filter user_preference	Filter preference of assignment submissions.
---	--

assignment_mailinfo user_preference	Mail info preference for assignment submissions.
---	--

assignment_perpage user_preference	Number of assignment submissions shown per page preference.
--	---

assignment_quickgrade user_preference	Quick grading preference for assignment submissions.
---	--

▾ Attendance Additional

attendance_log database_table	Log of user attendances recorded.
sessionid	Attendance session ID.
studentid	ID of student having attendance recorded.
statusid	ID of student's attendance status.
statusset	Status set to which status ID belongs.
timetaken	Timestamp of when attendance was taken for the student.
takenby	User ID of the user who took attendance for the student.
remarks	Comments about the user's attendance.
ipaddress	IP address attendance was marked from.

attendance_sessions database_table	Sessions to which attendance will be recorded.
groupid	Group ID associated with session.
sessdate	Timestamp of when session starts.
duration	Session duration in seconds
lasttaken	Timestamp of when session attendance was last taken.
lasttakenby	User ID of the last user to take attendance in this session
timemodified	Timestamp of when session was last modified

attendance_warning_done database_table	Log of warnings sent to users over their attendance record.
notifyid	ID of attendance session warning is associated with.
userid	ID of user to send warning to.



timesent Timestamp when warning was sent.

▼ [Book](#)

The book activity module does not store any personal data.

▼ [Chat](#)

chat_messages database_table	A record of the messages sent during a chat session
userid	The user ID of the author of the message
message	The message
issystem	Whether the message is a system-generated message
timestamp	The time when the message was sent.

chat_messages_current database_table	Current chat session. This data is temporary and is deleted after the chat session is deleted
userid	The user ID of the author of the message
message	The message
issystem	Whether the message is a system-generated message
timestamp	The time when the message was sent.

chat_users database_table	Keeps track of which users are in which chat rooms
userid	The user ID
version	How user accessed the chat (sockets/basic/ajax/header_js)
ip	User IP
firstping	Time of the first access to chat room
lastping	Time of the last access to chat room
lastmessageping	Time of the last message in this chat room
lang	User language

▼ [Choice](#)

choice_answers database_table	Information about the user's chosen answer(s) for a given choice activity
choiceid	The ID of the choice activity
optionid	The ID of the option that the user selected.
userid	The ID of the user answering this choice activity
timemodified	The timestamp indicating when the choice was modified by the user

▼ [Database](#)

data_records database_table	Represent records in database activity module
userid	User who created the record
groupid	Group
timecreated	Time when record was created
timemodified	Time when record was last modified
approved	Approval status



data_content database_table	Represents one answer to one field in database activity module
fieldid	Field definition ID
content	Content
content1	Additional content 1
content2	Additional content 2
content3	Additional content 3
content4	Additional content 4

<u>datafield</u> plugintype_link	Fields for database activity module
--	-------------------------------------

<u>core_comment</u> subsystem_link	Comments on database records
--	------------------------------

<u>core_files</u> subsystem_link	File attached to the database record
--	--------------------------------------

<u>core_tag</u> subsystem_link	Tags on database records
--	--------------------------

<u>core_rating</u> subsystem_link	Ratings on database records
---	-----------------------------

▼ Feedback

feedback_completed database_table	A record of the submissions to the feedback
userid	The ID of the user who completed the feedback activity.
timemodified	The time when the submission was last modified.
anonymous_response	Whether the submission is to be used anonymously.

feedback_completedtmp database_table	A record of the submissions which are still in progress.
userid	The ID of the user who completed the feedback activity.
timemodified	The time when the submission was last modified.
anonymous_response	Whether the submission is to be used anonymously.

feedback_value database_table	A record of the answer to a question.
value	The chosen answer.

feedback_valuetmp database_table	A record of the answer to a question in a submission in progress.
value	The chosen answer.

▼ Folder

The Folder resource plugin does not store any personal data.

▼ Forum

forum_digests	Information about the digest preferences for each forum.
----------------------	--



database_table

forum The forum subscribed to.

userid The ID of the user with the digest preference.

maildigest The digest preference.

forum_discussions Information about the individual forum discussions that a user has created
database_table

name The name of the discussion, as chosen by the author.

userid The ID of the user who created the discussion

assessed TODOD - what does this field store

timemodified The time that the discussion was last modified.

usermodified The ID of the user who last modified the discussion in some way.

forum_discussion_subs Information about the subscriptions to individual forum discussions
database_table

discussionid The ID of the discussion that was subscribed to.

preference The start time of the subscription.

userid The ID of the user with the discussion subscription.

forum_posts Information about the digest preferences for each forum.
database_table

discussion The discussion that the post is in.

parent The parent post that was replied to.

created The time that the post was created.

modified The time that the post was last modified.

subject The subject of the forum post.

message The message of the forum post.

userid The ID of the user who authored the forum post.

privatereplyto The ID of the user this reply was sent to.

forum_read Information about which posts have been read by the user.
database_table

userid The ID of the user that this record relates to.

discussionid The discussion that the post is in.

postid The post that was read.

firstread The first time that the post was read.

lastread The most recent time that the post was read.

forum_subscriptions Information about which forums the user has subscribed to.
database_table

userid The ID of the user that this forum subscription relates to.

forum The forum that was subscribed to.

forum_track_prefs Information about which forums the user has chosen to track post reads for.
database_table

userid The ID of the user that this forum tracking preference relates to.

forumid The forum that has read tracking enabled.

forum_queue Temporary log of posts that will be mailed in digest form
database_table



userid	User who needs to be notified of the post
discussionid	Forum discussion ID
postid	Forum post ID
timemodified	The modified time of the original post

forum_grades
database_table

Grade data for the forum

userid	The user who was graded
forum	The forum that was graded
grade	The grade awarded

[core_tag](#)
subsystem_link

The forum makes use of the tag subsystem to support tagging of posts.

[core_rating](#)
subsystem_link

The forum makes use of the rating subsystem to support the rating of posts.

maildigest
user_preference

The site-wide mail digest preference

autosubscribe
user_preference

Whether to subscribe to discussions when replying to posts within them.

trackforums
user_preference

Whether to enable read tracking.

markasreadonnotification
user_preference

Whether to mark forum posts as read when receiving them as messages.

forum_discussionlistsorter
user_preference

The preferred sorting order of the discussions list

▼ [Glossary](#)

glossary_entries
database_table

Information about the user's entries for a given glossary activity

glossaryid	The ID of the glossary activity
userid	The ID of the user that is adding this glossary entry
concept	The concept of the entry the user added
definition	The definition of the entry the user added
attachment	The attachment of the entry the user added
timemodified	The timestamp indicating when the glossary entry was modified by the user

[core_files](#)
subsystem_link

Files linked to glossary definitions are stored using the core_files system

[core_comment](#)
subsystem_link

Comments made on glossary definitions are stored using core_comment system

[core_tag](#)
subsystem_link

Tags added to glossary definitions are stored using core_tag system

[core_rating](#)
subsystem_link

Ratings added to glossary entries are stored using core_rating system



▼ [IVIS content package](#)

The IMS content package plugin does not store any personal data.

▼ [MediaSpace Video Assignment](#) Additional

[core_message](#)

subsystem_link

Messages are sent to teachers through the messaging system.

[kalvidassign_submission](#)

database_table

Kaltura video assignment submissions

userid

Moodle user id

entry_id

Kaltura entry id

source

The source URL of the media entry

grade

Grade score for the submission

submissioncomment

Submission teacher comment

teacher

Moodle userId of the teacher who marked the submission

mailed

Whether the assignment submission notification has been emailed to the teacher

timemarked

Time the assignment submission was marked

metadata

Stores a base 64 encoded serialized metadata object

timecreated

Time the submission record was created

timemodified

Time the assignment submission was modified

[kalvidassign_filter](#)

user_preference

Filter preference of assignment submissions.

[kalvidassign_group_filter](#)

user_preference

Group filter preference of assignment submissions.

[kalvidassign_perpage](#)

user_preference

Number of assignment submissions shown per page preference.

[kalvidassign_quickgrade](#)

user_preference

Quick grading preference for assignment submissions.

▼ [MediaSpace Video Presentation](#) Additional

Kaltura video presentation plugin does not store any personal data.

▼ [MediaSpace Video Resource](#) Additional

Kaltura video resource plugin does not store any personal data.

▼ [Label](#)

The Label resource plugin does not store any personal data.

▼ [Lesson](#)

[lesson_attempts](#)

database_table

A record of page attempts

userid

The user ID

pageid

The page ID

answerid

The answer ID

retry

The attempt number



correct	Whether the attempt was correct
useranswer	Details about the user's answer
timeseen	The time when the attempt was made
<hr/>	
lesson_grades database_table	A record of the grades for each lesson
userid	The user ID
grade	The grade given
completed	The date when the grade was given
<hr/>	
lesson_timer database_table	A record of a lesson attempt
userid	The user ID
starttime	The date when the attempt started
lesstime	The last moment when we recorded activity
completed	Whether the attempt is complete
timemodifiedoffline	The last moment when we recorded activity from the mobile app
<hr/>	
lesson_branch database_table	A record of the pages viewed
userid	The user ID
pageid	The page ID
retry	The attempt number
flag	Whether the next page was calculated randomly
timeseen	The time when the page was viewed
nextpageid	The next page ID
<hr/>	
lesson_overrides database_table	A record of overrides per lesson
userid	The user ID
available	The time when the lesson may be attempted
deadline	The deadline for completing the lesson.
timelimit	Time limit to complete the lesson, in seconds.
review	Whether trying a question again is allowed
maxattempts	The maximum number of attempts
retake	Whether re-takes are allowed
password	The password to access the lesson
<hr/>	
lesson_view user_preference	The preferred display mode when editing lessons

▼ [External tool](#)

lti_provider external_location	The LTI Consumer provides user information and context to the LTI Tool Provider.
userid	The ID of the user accessing the LTI Consumer
username	The username of the user accessing the LTI Consumer
useridnumber	The ID number of the user accessing the LTI Consumer
firstname	The firstname of the user accessing the LTI Consumer
lastname	The lastname of the user accessing the LTI Consumer
fullname	The fullname of the user accessing the LTI Consumer



email	The email address of the user accessing the LTI Consumer
role	The role in the course for the user accessing the LTI Consumer
courseid	The ID of the course the user is accessing the LTI Consumer from
courseidnumber	The ID number of the course the user is accessing the LTI Consumer from
courseshortname	The shortname of the course the user is accessing the LTI Consumer from
coursefullname	The fullname of the course the user is accessing the LTI Consumer from

lti_submission database_table	LTI submission
userid	The ID of the user who submitted for the LTI activity
datesubmitted	The timestamp indicating when the submission was made
dateupdated	The timestamp indicating when the submission was modified
gradepercent	The grade for the user as a percentage
originalgrade	The original grade for the user

lti_tool_proxies database_table	LTI proxies
name	LTI proxy name
createdby	The user who created the record
timecreated	The time when the record was created
timemodified	The time when the record was modified

lti_types database_table	LTI types
name	LTI type name
createdby	The user who created the record
timecreated	The time when the record was created
timemodified	The time when the record was modified

▼ [Page](#)

The Page resource plugin does not store any personal data.

▼ [Quiz](#)

quiz_attempts database_table	Details about each attempt on a quiz.
attempt	The attempt number.
currentpage	The current page that the user is on.
preview	Whether this is a preview of the quiz.
state	The current state of the attempt.
timestamp	The time that the attempt was started.
timefinish	The time that the attempt was completed.
timemodified	The time that the attempt was updated.
timemodifiedoffline	The time that the attempt was updated via an offline update.
timecheckstate	The time that the state was checked.
sumgrades	The sum of grades in the attempt.

quiz_grades database_table	Details about the overall grade for this quiz.
--------------------------------------	--

The quiz_attempts table contains the following columns:



quiz	The quiz that was graded.
userid	The user who was graded.
grade	The overall grade for this quiz.
timemodified	The time that the grade was modified.

quiz_overrides
database_table

Details about overrides for this quiz

quiz	The quiz with override information
userid	The user being overridden
timeopen	The new open time for the quiz.
timeclose	The new close time for the quiz.
timelimit	The new time limit for the quiz.

core_question
subsystem_link

The quiz activity stores question usage information in the core_question subsystem.

quiz
plugintype_link

The quiz activity makes use of quiz reports.

quizaccess
plugintype_link

The quiz activity makes use of quiz access rules.

▼ File

The File resource plugin does not store any personal data.

▼ SCORM package

scorm_scoes_track
database_table

The tracked data of the SCOs belonging to the activity

userid	The ID of the user who accessed the SCORM activity
attempt	The attempt number
element	The name of the element to be tracked
value	The value of the given element
timemodified	The time when the tracked element was last modified

scorm_aicc_session
database_table

The session information of the AICC HACP

userid	The ID of the user who accessed the SCORM activity
scormmode	The mode of the element to be tracked
scormstatus	The status of the element to be tracked
attempt	The attempt number
lessonstatus	The lesson status to be tracked
sessiontime	The session time to be tracked
timecreated	The time when the tracked element was created
timemodified	The time when the tracked element was last modified

aicc
external_location

This plugin sends data externally using the AICC HACP.

data

Personal data passed through from the AICC/SCORM subsystem.

▼ Survey



survey_answers database_table	A collection of answers to surveys.
userid	The ID of the user who submitted their answer.
question	The question.
answer1	Field to store the answer to a question.
answer2	Additional field to store the answer to a question.
time	The time when the answer was posted.

survey_analysis database_table	A record of survey answers analysis.
userid	The ID of the user answering the survey.
notes	Notes saved against a user's answers.

▾ Tabbed Content Additional

The tabbed content resource does not store or transmit personal information

▾ Turnitin Assignments Additional

core_files subsystem_link	Turnitin Assignment 2 stores files that have been uploaded to Moodle to form a Turnitin submission.
-------------------------------------	---

turnitintooltwo_users database_table	Information that links a Moodle user to a Turnitin user account and any preferences specific to Turnitin. These include default assignment settings and any Turnitin rubrics owned by them.
userid	The ID of the user being linked to a Turnitin account.
turnitin_uid	The user's Turnitin account ID.
instructor_defaults	The instructor's default assignment settings
instructor_rubrics	The Turnitin rubric scorecards that belong to the instructor
user_agreement_accepted	Indicates whether this user has accepted the Turnitin End User Licence Agreement (EULA).

turnitintooltwo_submissions database_table	Information about a submission that has been sent to Turnitin.
userid	The ID of the user who has made a submission.
submission_title	The title of the submission.
submission_filename	The name of the file that has been submitted to Turnitin.
submission_objectid	The ID used by Turnitin to reference the submission.
submission_score	The similarity score of the submission.
submission_grade	The grade applied by an instructor to the submission.
submission_attempts	A timestamp indicating when the user viewed feedback on their submission.
submission_modified	A timestamp indicating when the user last modified their submission.
submission_unanon	Indicates that the anonymity of a submission has been removed, making the author's identity available to the instructor.
submission_unanonreason	An explanation for the removal of an author's anonymity, supplied by their instructor.
submission_transmatch	Indicates whether Turnitin used translated matching to produce a Similarity Report for the submission.
submission_orcapable	Indicates whether Turnitin was able to produce a Similarity report for the submission.
submission_hash	A submission specific hash containing the user's ID.

turnitintooltwo_client external_location	To successfully make a submission to Turnitin, specific user data needs to be exchanged between Moodle and Turnitin. For more information around Moodle Plugins and GDPR,
--	---



please visit: <https://help.turnitin.com/feedback-studio/moodle/moodle-plugins-and-gdpr.htm>

email	The user's email address is shared by Moodle to enable the creation of a Turnitin account.
firstname	The user's first name is sent to Turnitin so that the user can be identified.
lastname	The user's last name is sent to Turnitin so that the user can be identified.
submission_title	The title of the submission is sent to Turnitin so that it is identifiable.
submission_filename	The name of the submitted file is sent to Turnitin so that it is identifiable.
submission_content	Please be aware that the content of a file/submission is sent to Turnitin for processing.

▼ Signup Sheet Additional

core_message
subsystem_link Messages sent to participants via the messaging system

tutorialbooking_signups
database_table Stores the signups that participants have made to signup sheet activities

userid The user who signed up
sessionid The session the user signed up to
signupdate The date the user signed up

tutorialbooking_messages
database_table Stores messages sent to participants through the signup sheet plugin

sentby The user who sent the message
senttime The time the message was sent
subject The subject of the message
sentto The users that the message was sent to
message The message that was sent

▼ URL

The URL resource plugin does not store any personal data.

▼ Vote Additional

vote_votes
database_table Stores how a user has voted

optionid The option the user has voted for
userid The user who voted
vote The ranking the user gave the option

▼ Wiki

wiki_subwikis
database_table Information about subwikis (in case of group or individual mode)

userid User who owns a subwiki (for individual wikis)
groupid Group that owns a subwiki

wiki_pages
database_table Information about wiki pages

userid Last user who edited the page
title Name of the page



cachedcontent	Cached content in HTML format
timecreated	Time when page was first created
timemodified	Time when page was last modified
timerendered	Time when page was last rendered
pageviews	Number of times page was viewed
readonly	Whether a page is read-only

wiki_versions database_table	Information about wiki pages history
userid	User who created revision
content	Revision content
contentformat	Revision content format
version	Version number
timecreated	Time when revision was created

wiki_locks database_table	Temporary storage for wiki edit locks
userid	User who locked a page
sectionname	Name of the locked page section
lockedat	Date when locked

core_files subsystem_link	Files attached to subwikis
---	----------------------------

core_tag subsystem_link	Tags associated with wiki pages
---	---------------------------------

core_comment subsystem_link	Comments on wiki page
---	-----------------------

▼ [Workshop](#)

workshop_submissions database_table	Holds information about workshop module submissions
workshopid	ID of the workshop activity
authorid	ID of the submission author
example	Whether this record represents an example submission
timecreated	When this record was created in the database
timemodified	When this record was last modified in the database
title	Title of the submission
content	Content of the submission
contentformat	Text format of the submission content
grade	Aggregated grade for the submission written as a decimal number from interval 0..100
gradeover	Manually overridden value of the aggregated grade
feedbackauthor	Feedback for the author
feedbackauthorformat	Text format of the feedback for the author
published	Whether the submission should be published to all participants once the workshop is closed
late	Whether the submission been submitted after the deadline

workshop_assessments database_table	Holds information about allocated assessments of workshop module submissions
submissionid	ID of the submission



reviewerid	ID of the user providing the assessment
weight	Weight of the assessment
timecreated	When this record was created in the database
timemodified	When this record was last modified in the database
grade	Aggregated grade for the submission suggested by this assessment
gradinggrade	Grade for providing this assessment
gradinggradeover	Manually overridden value of the grade for providing this assessment
feedbackauthor	Feedback for the author
feedbackauthorformat	Text format of the feedback for the author
feedbackreviewer	Feedback for the user providing the assessment
feedbackreviewerformat	Text format of the feedback for the user providing the assessment

workshop_grades database_table Holds information about how the assessment forms were filled with grades and comments

assessmentid	ID of the assessment
strategy	Name of the grading strategy subplugin interpreting the record values
dimensionid	ID of the assessment dimension
grade	Grade in the given assessment dimension
peercomment	Comment on the given grade by the user providing the assessment
peercommentformat	Text format of the comment on the given grade

workshop_aggregations database_table Holds aggregated grades for assessment

workshopid	ID of the workshop activity
userid	ID of the user for which aggregated grade is calculated
gradinggrade	Aggregated grade for all assessments made by the user in the given workshop activity
timegraded	When the aggregated grade was last calculated

core_files subsystem_link Workshop module stores files embedded in / attached to the submission text

core_plagiarism subsystem_link Workshop module has inbuilt support for plagiarism prevention systems

workshop_perpage user_preference Number of submissions the user prefers to see on one page

▾ Authentication method

▾ CAS server (SSO)

The CAS server (SSO) authentication plugin does not store any personal data.

▾ External database

The External database authentication plugin does not store any personal data.

▾ Email-based self-registration

The Email-based self-registration authentication plugin does not store any personal data.

▾ LDAP server



The LDAP server authentication plugin does not store any personal data.

▼ [LTI](#)

The LTI authentication plugin does not store any personal data.

▼ [Manual accounts](#)

auth_manual_passwordup The date of the last password change.
datetime
user_preference

▼ [MNet authentication](#)

mnet_session The details of each MNet user session in a remote system. The data is stored temporarily.
database_table

userid ID of the user jumping to remote system.

username Username of the user jumping to remote system.

token Unique session identifier

mnethostid Remote system MNet ID.

useragent User agent used to access the remote system

expires Time when the session expires.

mnet_log Details of remote actions carried out by a local user logged in a remote system.
database_table

hostid Remote system MNet ID.

remoteid Remote ID of the user who carried out the action in the remote system.

time Time when the action occurred.

userid Local ID of the user who carried out the action in the remote system.

ip The IP address used at the time of the action occurred.

course Remote system course ID where the action occurred.

coursename Remote system course full name where the action occurred.

module Remote system module where the action occurred.

cmid ID of the course module.

action Action carried out by the user.

url Remote system URL where the action occurred.

info Additional information about the action.

moodle This plugin can send data externally to a linked Moodle application.
external_location

address The address of the user.

aim The AIM identifier of the user

alternatename An alternative name for the user.

autosubscribe A preference as to if the user should be auto-subscribed to forums the user posts in.

calendartype A user preference for the type of calendar to use.

city The city of the user.

country The country that the user is in.

currentlogin The current login for this user.

department The department that this user can be found in.

description General details about this user.

email An email address for contact.



emailstop	A preference to stop email being sent to the user.
firstaccess	The time that this user first accessed the site.
firstname	The first name of the user.
firstnamephonetic	The phonetic details about the user's first name.
icq	The ICQ number of the user.
id	The user ID
idnumber	An identification number given by the institution
imagealt	Alternative text for the user's image.
institution	The institution that this user is a member of.
lang	A user preference for the language shown.
lastaccess	The time that the user last accessed the site.
lastlogin	The last login of this user.
lastname	The surname of the user.
lastnamephonetic	The phonetic details about the user's surname.
maildigest	A setting for the mail digest for this user.
maildisplay	A preference for the user about displaying their email address to other users.
middlename	The middle name of the user
msn	The MSN identifier of the user
phone1	A phone number for the user.
phone2	An additional phone number for the user.
picture	The picture details associated with this user.
policyagreed	A flag to determine if the user has agreed to the site policy.
skype	The Skype identifier of the user
suspended	A flag to show if the user has been suspended on this system.
timezone	The timezone of the user
trackforums	A preference for forums and tracking them.
trustbitmask	The trust bit mask
url	A URL related to this user.
username	The username for this user.
yahoo	The Yahoo identifier of the user

mahara	This plugin can send data externally to a linked Mahara application.
external_location	
address	The address of the user.
aim	The AIM identifier of the user
alternatename	An alternative name for the user.
autosubscribe	A preference as to if the user should be auto-subscribed to forums the user posts in.
calendartype	A user preference for the type of calendar to use.
city	The city of the user.
country	The country that the user is in.
currentlogin	The current login for this user.
department	The department that this user can be found in.
description	General details about this user.
email	An email address for contact.
emailstop	A preference to stop email being sent to the user.
firstaccess	The time that this user first accessed the site.
firstname	The first name of the user.
firstnamephonetic	The phonetic details about the user's first name.
icq	The ICQ number of the user.
id	The user ID
idnumber	An identification number given by the institution
imagealt	Alternative text for the user's image.



imagealt	Alternative text for the user's image.
institution	The institution that this user is a member of.
lang	A user preference for the language shown.
lastaccess	The time that the user last accessed the site.
lastlogin	The last login of this user.
lastname	The surname of the user.
lastnamephonetic	The phonetic details about the user's surname.
maildigest	A setting for the mail digest for this user.
maildisplay	A preference for the user about displaying their email address to other users.
middlename	The middle name of the user
msn	The MSN identifier of the user
phone1	A phone number for the user.
phone2	An additional phone number for the user.
picture	The picture details associated with this user.
policyagreed	A flag to determine if the user has agreed to the site policy.
skype	The Skype identifier of the user
suspended	A flag to show if the user has been suspended on this system.
timezone	The timezone of the user
trackforums	A preference for forums and tracking them.
trustbitmask	The trust bit mask
url	A URL related to this user.
username	The username for this user.
yahoo	The Yahoo identifier of the user

▾ [No login](#)

The No login authentication plugin does not store any personal data.

▾ [No authentication](#)

The No authentication plugin does not store any personal data.

▾ [OAuth 2](#)

auth_oauth2_linked_login database_table	OAuth 2 accounts linked to a user's Moodle account.
timecreated	The timestamp when the user account was linked to the OAuth 2 login.
timemodified	The timestamp when this record was modified.
usermodified	The ID of the user who modified this account.
userid	The ID of the user account which the OAuth 2 login is linked to.
issuerid	The ID of the OAuth 2 issuer for this OAuth 2 login
username	The external username that maps to this account.
email	The external email that maps to this account.
confirmtoken	The confirmation token.
confirmtokenexpires	The timestamp when the confirmation token expires.

[core_auth](#)
subsystem_link

This plugin is connected to the authentication subsystem.

▾ [Shibboleth](#)

The Shibboleth authentication plugin does not store any personal data.



▼ [Web services authentication](#)

The Web services authentication plugin does not store any personal data.

▼ [Calendar type](#)

▼ [Gregorian calendar type](#)

The Gregorian calendar format plugin does not store any personal data.

▼ [Custom field](#)

▼ [Checkbox](#)

The Checkbox field type plugin doesn't store any personal data; it uses tables defined in core.

▼ [Date and time](#)

The Date and time field type plugin doesn't store any personal data; it uses tables defined in core.

▼ [Dropdown menu](#)

The Dropdown menu field type plugin doesn't store any personal data; it uses tables defined in core.

▼ [Short text](#)

The Short text field type plugin doesn't store any personal data; it uses tables defined in core.

▼ [Text area](#)

The Text area field type plugin doesn't store any personal data; it uses tables defined in core.

▼ [Enrolment method](#)

▼ [Category enrolments](#)

The Category enrolments plugin does not store any personal data.

▼ [Cohort sync](#)

[core_group](#)
subsystem_link

Enrol cohort plugin can create a new group or use an existing group to add all the members of the cohort.

▼ [External database](#)

The External database enrolment plugin does not store any personal data.

▼ [Flat file \(CSV\)](#)

enrol_flatfile
database_table

The Flat file (CSV) enrolment plugin may store personal data relating to future enrolments in the enrol_flatfile table.

action

The enrolment action expected on the given date

roleid

The ID of the role to be assigned or unassigned



userid	The ID of the user to which the role assignment relates
courseid	The course ID to which the enrolment relates
timestart	The time when the enrolment starts
timeend	The time when the enrolment ends
timemodified	The time when the enrolment is modified

▼ Guest access

The Guest access enrolment plugin does not store any personal data.

▼ IMS Enterprise file

The IMS Enterprise file enrolment plugin does not store any personal data.

▼ LDAP enrolments

The LDAP enrolments plugin does not store any personal data.

▼ Publish as LTI tool

enrol_lti_users database_table	The list of users enrolled via an LTI provider
userid	The ID of the user
lastgrade	The last grade the user was recorded of having
lastaccess	The time when the user last accessed the course
timecreated	The time when the user was enrolled

▼ Manual enrolments

The Manual enrolments plugin does not store any personal data.

▼ Module meta link

core_group subsystem_link	Enrol meta plugin can create a new group or use an existing group to add all the participants of the course linked.
-------------------------------------	---

▼ MNet remote enrolments

The MNet remote enrolments plugin does not store any personal data.

▼ Student record system Additional

core_enrol subsystem_link	The plugin creates student enrolments based on data passed from the student records system.
-------------------------------------	---

core_files subsystem_link	Instruction files containing personal information from the student record system may be manually loaded into Moodle, where they will be processed by an adhoc task. They are deleted when the task completes.
-------------------------------------	---

core_user subsystem_link	The plugin creates user accounts based on data from the student records system.
------------------------------------	---

enrol_notttingham	The plugin may store personal information about users when instructions relating to them
--------------------------	--



<code>enrol_moodleman_database_table</code>	The plugin may store personal information about users when instructions relating to them from the student records system fail to process correctly.
<code>event</code>	The type of event the log entry is for.
<code>status</code>	Stores if the issue has been resolved.
<code>courseidnumber</code>	The id number of the course the log is related to.
<code>useridnumber</code>	The id number in the student records system of the user.
<code>data</code>	Encoded details related to the request, it may include user personal information required to create a user account.
<code>created</code>	The time that the log was generated at.
<code>updated</code>	The time the log entry was last updated.

▼ [PayPal](#)

<code>paypal.com_external_location</code>	The PayPal enrolment plugin transmits user data from Moodle to the PayPal website.
<code>os0</code>	Full name of the buyer.
<code>custom</code>	A hyphen-separated string that contains ID of the user (the buyer), ID of the course, ID of the enrolment instance.
<code>first_name</code>	First name of the user who is buying the course.
<code>last_name</code>	Last name of the user who is buying the course.
<code>address</code>	Address of the user who is buying the course.
<code>city</code>	City of the user who is buying the course.
<code>email</code>	Email address of the user who is buying the course.
<code>country</code>	Country of the user who is buying the course.

<code>enrol_paypal_database_table</code>	Information about the PayPal transactions for PayPal enrolments.
<code>business</code>	Email address or PayPal account ID of the payment recipient (that is, the merchant).
<code>receiver_email</code>	Primary email address of the payment recipient (that is, the merchant).
<code>receiver_id</code>	Unique PayPal account ID of the payment recipient (i.e., the merchant).
<code>item_name</code>	The full name of the course that its enrolment has been sold.
<code>courseid</code>	The ID of the course that is sold.
<code>userid</code>	The ID of the user who bought the course enrolment.
<code>instanceid</code>	The ID of the enrolment instance in the course.
<code>memo</code>	A note that was entered by the buyer in PayPal website payments note field.
<code>tax</code>	Amount of tax charged on payment.
<code>option_selection1_x</code>	Full name of the buyer.
<code>payment_status</code>	The status of the payment.
<code>pending_reason</code>	The reason why payment status is pending (if that is).
<code>reason_code</code>	The reason why payment status is Reversed, Refunded, Canceled_Reversal, or Denied (if the status is one of them).
<code>txn_id</code>	The merchant's original transaction identification number for the payment from the buyer, against which the case was registered
<code>parent_txn_id</code>	In the case of a refund, reversal, or canceled reversal, this would be the transaction ID of the original transaction.
<code>payment_type</code>	Holds whether the payment was funded with an eCheck (echeck), or was funded with PayPal balance, credit card, or instant transfer (instant).
<code>timeupdated</code>	The time of Moodle being notified by PayPal about the payment.

▼ [Self enrolment](#)

The Self enrolment plugin does not store any personal data.



▼ Notification plugin

▼ Mobile

core_user
subsystem_link

This plugin is connected to the user subsystem.

**message_airnotifier_devic
es**
database_table

Airnotifier device information is stored here.

userdeviceid
enabled

The ID linking to the user's mobile device
Whether the airnotifier device is enabled.

External airnotifier site.
external_location

This information is sent to an external site to be ultimately delivered to the mobile device of the user.

userid
username
userfromid
userfromfullname
date
subject
notification
smallmessage
fullmessage

The ID of the user who sent the message.
The username of the user.
The user ID of the author of the message.
The full name of the user who sent the message.
The date that the message was sent.
The subject line of the message.
If this message is a notification.
A section of the message.
The full message.

▼ Email

message_email_messages
database_table

The list of users enrolled via an LTI provider

useridto
conversationid
messageid

The ID of the user receiving the message
The ID of the conversation being sent to
The ID of the message being sent

smtp
external_location

This information is sent to an external SMTP server to be ultimately delivered as an email to the recipient.

recipient
userfrom
subject
fullmessage
fullmessagehtml
attachment
attachname
replyto
replytoname

The recipient of the message.
The user sending the message.
The subject line of the message.
The full message in a given format.
The full version of the message.
A file on the filesystem.
The name of the attached file (extension indicates MIME).
The email address to reply to.
Name of reply to recipient.

▼ Jabber

External Jabber server.
external_location

This information is sent to an external Jabber server to be ultimately delivered as a notification message to the recipient.

userto
userfrom
smallmessage

The recipient of the notification message.
The user sending the notification message.
A section of the message.



contexturl

The URL to view the event.

▼ [Web](#)

The messaging Web plugin does not store any personal data.

▼ [Block](#)

▼ [Activities](#)

The Activities block only shows data stored in other locations.

▼ [Activity results](#)

The Activity results block only shows data stored in other locations.

▼ [Admin bookmarks](#)

The Admin bookmarks block only shows data stored in other locations.

▼ [Latest badges](#)

The Latest badges block only shows data stored in other locations.

▼ [Blog menu](#)

The Blog menu block only shows data stored in other locations.

▼ [Recent blog entries](#)

The Recent blog entries block only shows data stored in other locations.

▼ [Blog tags](#)

The Blog tags block only shows data stored in other locations.

▼ [Calendar](#)

The Calendar block only displays existing calendar data.

▼ [Upcoming events](#)

The Upcoming events block only displays existing calendar data.

▼ [Comments](#)

[core_comment](#)
subsystem_link

A record of comments added.

▼ [Module completion status](#)

The Course completion status block only shows information about course completion and does not store any data of its own.



▼ [Module list](#)

The Courses block only shows data about courses and does not store any data itself.

▼ [Module/Site description](#)

The Course/site summary block only shows information about courses and does not store data itself.

▼ [Module Import](#) Additional

[core_backup](#)
subsystem_link

Creates backups of course information to transfer it into another Moodle course.

block_courseimport
database_table

Stores a list of import jobs that have been queued.

source

The course that data is being exported from.

target

The course that is being imported into.

userid

The user who created the job.

backupid

The id of the backup file that has been created.

status

The status of the import.

timecreated

The time the import job was created.

timemodified

The last time the job was updated.

▼ [Year end and archive](#) Additional

This plugin does not store any user information. When a user submits a request form their name and e-mail address will be sent by e-mail to an admin.

▼ [Curriculum map](#) Additional

No personal information is stored, or transmitted to or from Moodle, by this block.

▼ [BS Enrol Block](#) Additional

The plugin allows users to become enrolled on a course if they access to it on another specific role. It does not store any personal information to do this.

▼ [Feedback](#)

The Feedback block only shows data stored in other locations.

▼ [Global search](#)

The Global search block only shows data stored in other locations.

▼ [Random glossary entry](#)

The Random glossary entry block only shows data stored in other locations.

▼ [Medical School Search](#) Additional

The search block does not store any personal data, it does query a search engine and may receive personal information from that which will be displayed to the user who made the search.

▼ [HTML](#)

[block](#)

The HTML block stores all of its data within the block subsystem.

subsystem_link

▼ [Kaltura Media Gallery](#) Additional

The Kaltura Media Gallery block only displays a link to Kaltura Media Gallery local plugin

▼ [Login](#)

The Login block only provides a way to log in and does not store any data itself.

▼ [Learning plans](#)

The Learning plans block only shows data stored in other locations.

▼ [Medical School Formulary](#) Additional

The formulary does not store any personal information.

▼ [Medicine course links](#) Additional

kpac_link

external_location

A time limited key is sent to the Medical School clinical image library to authenticate the user when they click on a link to it.

username

The user name of the user clicking the link is transmitted to the system.

ipaddress

The IP address of the user accessing the system is transmitted

time

The time at which the time limited key is generated.

macs_link

external_location

A time limited key is sent to the Mandatory Assesment of Clinical Skills system to authenticate the user when they click on a link to it.

username

The user name of the user clicking the link is transmitted to the system.

ipaddress

The IP address of the user accessing the system is transmitted

time

The time at which the time limited key is generated.

cp1aloc_link

external_location

A time limited key is sent to the Medicine Allocations system to authenticate the user when they click on a link to it.

username

The user name of the user clicking the link is transmitted to the system.

ipaddress

The IP address of the user accessing the system is transmitted

time

The time at which the time limited key is generated.

electives_link

external_location

A time limited key is sent to the Electives placement system to authenticate the user when they click on a link to it.

username

The user name of the user clicking the link is transmitted to the system.

ipaddress

The IP address of the user accessing the system is transmitted

time

The time at which the time limited key is generated.

▼ [Mentees](#)

The Mentees block only shows data stored in other locations.



▼ [Network servers](#)

The Network servers block only allows interaction with Network servers and neither stores or exports data itself.

▼ [Module overview](#)

block_myoverview_user_sort_preference
user_preference

The Module overview block sort preference.

block_myoverview_user_view_preference
user_preference

The Module overview block view preference.

block_myoverview_user_grouping_preference
user_preference

The Module overview block grouping preference.

block_myoverview_user_paging_preference
user_preference

The Module overview block paging preference.

▼ [Logged in user](#)

The Logged in user block only shows information about the logged in user and does not store data itself.

▼ [Navigation](#)

The Navigation block only shows data stored in other locations.

▼ [Latest announcements](#)

The Latest announcements block only shows data stored in the forum and does not store data itself.

▼ [BS Nexus](#) Additional

core_cache
subsystem_link

Responses from the Nexus server are stored temporarily in the cache to improve Moodle performance and reduce the number of requests sent to Nexus.

nexus
external_location

Personal data is sent to Nexus so that personalised links can be displayed to the user in Moodle that will allow them to access their information in Nexus.

userid

The Moodle id of the user is sent.

username

The username of the user is sent, to help identify user to Nexus.

course

Details of the course the user is accessing are sent, so that the correct response can be sent to Moodle.

firstname

The first name(s) of the user is sent to help identify them correctly.

lastname

The last name(s) of the user is sent to help identify them correctly.

▼ [Open Educational Resources](#) Additional

The block does not store or transmit any personal information.

▼ [Online users](#)

block_online_users_visibility

Online status visible to other users in the Online users block.



▼ [Private files](#)

The Private files block only provides a view of, and a link to, the user's private files.

▼ [Quiz results \(disabled\)](#)

The Quiz results block only shows data stored in other locations.

▼ [Module Resources](#) Additional

This plugin does not store or transmit any personal data.

▼ [Recent activity](#)

block_recent_activity database_table	Temporary log of recent teacher activity. Removed after two days
courseid	Course ID
cmid	Course activity ID
timecreated	Time when action was performed
userid	User performing the action
action	Action: created, updated or deleted
modname	Module type name (for delete action)

▼ [Recently accessed modules](#)

The Recently accessed modules block does not store any personal data.

▼ [Recently accessed items](#)

block_recentlyaccesseditems database_table	The Recently accessed items block stores information about items that the user accessed recently
userid	The ID of the user who accessed the item
courseid	Course the item belongs to
cmid	The ID of the activity or resource
timeaccess	The time when the user last accessed the item

▼ [Remote RSS feeds](#)

block_rss_client database_table	RSS block information is stored here.
userid	The ID of the user that added the RSS feed.
title	The title of the RSS feed.
preferredtitle	The preferred (custom) title of the RSS feed.
description	The description of the RSS feed.
shared	If the RSS feed is available to all courses.
url	The URL of the RSS feed.
skiptime	The defined time in seconds that the cron will wait between attempts to retry failing RSS feeds.
skipuntil	The maximum defined time that the cron will attempt to open failing RSS feeds.



▼ [Search forums](#)

The Search forums block only shows data stored in other locations.

▼ [Section links](#)

The Section links block only shows data stored in other locations.

▼ [Self completion](#)

The Self completion block only shows data stored in other locations.

▼ [Administration](#)

The Administration block only shows data stored in other locations.

▼ [Main menu](#)

The Main menu block only shows data stored in other locations.

▼ [Social activities](#)

The Social activities block only shows data stored in other locations.

▼ [Starred modules](#)

The starred modules block does not store any personal data.

▼ [Flickr](#)

flickr.com
external_location

The Flickr block plugin does not store any personal data, but does transmit user data from Moodle to the remote system.

tags

The tag values sent as CSV format to search for Flickr images.

▼ [YouTube](#)

The YouTube block only shows data stored in other locations.

▼ [Tags](#)

The Tags block only shows data stored in other locations.

▼ [Timeline](#)

block_timeline_user_sort_preference
user_preference

The user sort preference for the timeline block.

block_timeline_user_filter_preference
user_preference

The user day filter preference for the timeline block.

block_timeline_user_limit

The user page limit preference for the timeline block.

preference
user_preference

▼ Media player

▼ HTML5 audio

The HTML5 audio media plugin does not store any personal data.

▼ HTML5 video

The HTML5 video media plugin does not store any personal data.

▼ Flash animation

The Flash animation media plugin does not store any personal data.

▼ VideoJS player

The VideoJS player media plugin does not store any personal data.

▼ Vimeo

The Vimeo media plugin does not store any personal data.

▼ YouTube

The Youtube media plugin does not store any personal data.

▼ Text filter

▼ Activity names auto-linking

The Activity names auto-linking plugin does not store any personal data.

▼ Algebra notation

The Algebra notation plugin does not store any personal data.

▼ Word censorship

The Word censorship plugin does not store any personal data.

▼ Database auto-linking

The Database auto-linking plugin does not store any personal data.

▼ Display H5P

The display H5P filter does not store any personal data.

▼ Echo360 LTI Launch Filter Additional

echo360.com

The Echo360 LTI Launch Filter plugin does not store any personal data, but does transmit



echo360.com
external_location

The Echo360 LTI Launch Filter plugin does not store any personal data, but does transmit user and context data to integrate with Echo360.

userid

The ID of the user accessing the Echo360 LTI Launch Filter

fullname

The fullname of the user accessing the Echo360 LTI Launch Filter

firstname

The firstname of the user accessing the Echo360 LTI Launch Filter

lastname

The lastname of the user accessing the Echo360 LTI Launch Filter

email

The email address of the user accessing the Echo360 LTI Launch Filter

roles

The roles in the course for the user accessing the Echo360 LTI Launch Filter

courseid

The ID of the course the user is accessing the Echo360 LTI Launch Filter

courseshortname

The shortname of the course the user is accessing the Echo360 LTI Launch Filter

coursefullname

The fullname of the course the user is accessing the Echo360 LTI Launch Filter

▼ [Email protection](#)

The Email protection plugin does not store any personal data.

▼ [Display emoticons as images](#)

The Display emoticons as images plugin does not store any personal data.

▼ [Glossary auto-linking](#)

The Glossary auto-linking plugin does not store any personal data.

▼ [Media Resources](#) Additional

The Kaltura Media filter does not store any personal data.

▼ [MathJax](#)

The MathJax plugin does not store any personal data.

▼ [Multimedia plugins](#)

The Multimedia plugins plugin does not store any personal data.

▼ [Medical School formulary auto-linking](#) Additional

This plugin does not store or transmit any personal data.

▼ [Multi-Language Content](#)

The Multi-Language Content plugin does not store any personal data.

▼ [TeX notation](#)

The TeX notation plugin does not store any personal data.

▼ [HTML tidy](#)

The HTML tidy plugin does not store any personal data.

▼ [Convert URLs into links and images](#)



The Convert URLs into links and images plugin does not store any personal data.

▼ Editor

▼ Atto HTML editor

<code>editor_atto_autosave</code>	Automatically saved text editor drafts.
<code>database_table</code>	
<code>userid</code>	The ID of the user whose data was saved.
<code>drafttext</code>	The text which was saved.
<code>timemodified</code>	The time that content was modified.

▼ Superscript/subscript editor Additional

The Superscript/subscript editor plugin does not store any personal data.

▼ Plain text area

The Plain text area editor plugin does not store any personal data.

▼ TinyMCE HTML editor

The TinyMCE HTML editor plugin does not store any personal data.

▼ Module format

▼ Curriculum map format Additional

This plugin does not store or transmit any personal data.

▼ Single activity format

The Single activity format plugin does not store any personal data.

▼ Social format

The Social format plugin does not store any personal data.

▼ Timetable format Additional

<code>format_timetable</code>	Stores information about timetabled events imported from the timetable system. We cannot link it directly to a Moodle user, so it does not form part of an export.
<code>database_table</code>	
<code>guid</code>	The unique id of the activity in the academic year on the timetable system.
<code>module_code</code>	The code of the module the activity is part of.
<code>module_guid</code>	The unique identifier of the module in an academic year on the timetable system.
<code>academic_year</code>	The academic year of the activity.
<code>activity_code</code>	The code of the activity.
<code>activity_type</code>	The type of activity.
<code>startdate</code>	The time and date the activity starts at.
<code>enddate</code>	The end time and date of the activity.
<code>week</code>	The week of the academic year the activity is in.



description	The name of the activity.
location	The location the activity takes place.
staff	The names of the staff teaching the activity.
last_updated	The last time the record was updated.

▼ Collapsed Topics Additional

topcoll_toggle	The state of the toggles on a course.
user_preference	

▼ Topics format

The Topics format plugin does not store any personal data.

▼ Weekly format

The Weekly format plugin does not store any personal data.

▼ Data format

▼ Comma separated values (.csv)

The CSV data format plugin does not store any personal data.

▼ Microsoft Excel (.xlsx)

The Excel data format plugin does not store any personal data.

▼ HTML table

The HTML table data format plugin does not store any personal data.

▼ Javascript Object Notation (.json)

The JavaScript Object Notation (JSON) data format plugin does not store any personal data.

▼ OpenDocument (.ods)

The OpenDocument data format plugin does not store any personal data.

▼ Portable Document Format (.pdf)

The PDF data format plugin does not store any personal data.

▼ University of Nottingham Business School (.txt) Additional

The University of Nottingham Business School data format plugin does not store any personal data.

▼ Profile field type

▼ Checkbox

user_info_data	Additional profile data
database_table	



userid	The ID of the user whose data is stored by the Checkbox user profile field
fieldid	The ID of the profile field
data	The checkbox user profile field user data
dataformat	The format of Checkbox user profile field user data

▼ [Date/Time](#)

user_info_data database_table	Additional profile data
userid	The ID of the user whose data is stored by the Date/time user profile field
fieldid	The ID of the profile field
data	Date/time user profile field user data
dataformat	The format of Date/time user profile field user data

▼ [Drop-down menu](#)

user_info_data database_table	Additional profile data
userid	The ID of the user whose data is stored by the drop-down menu user profile field
fieldid	The ID of the profile field
data	Drop-down menu user profile field user data
dataformat	The format of the drop-down menu user profile field user data

▼ [Text input](#)

user_info_data database_table	Additional profile data
userid	The ID of the user whose data is stored by the Text input user profile field
fieldid	The ID of the profile field
data	Text input user profile field user data
dataformat	The format of Text input user profile field user data

▼ [Text area](#)

user_info_data database_table	Additional profile data
userid	The ID of the user whose data is stored by the Text area user profile field
fieldid	The ID of the profile field
data	Text area user profile field user data
dataformat	The format of Text area user profile field user data

▼ [Site report](#)

▼ [Backups report](#)

The Backups reports plugin does not store any personal data.

▼ [Competency breakdown](#)

The Competency breakdown plugin does not store any personal data.



▼ [Module completion](#)

The Course completion report only shows data stored in other locations.

▼ [Config changes](#)

The Config changes plugin does not store any personal data.

▼ [Module overview](#)

The Course overview plugin does not store any personal data.

▼ [Events list](#)

The Events list plugin does not store any personal data.

▼ [Forecasting report](#) Additional

<code>report_forecastingsetting</code>	Stores settings for a report run by the plugin.
<code>database_table</code>	
<code>setting</code>	JSON encoded settings.
<code>timecreated</code>	Stores the time the record was created.

▼ [Insights](#)

The Insights plugin does not store any personal data.

▼ [Logs](#)

The Logs plugin does not store any personal data.

▼ [Live logs](#)

The Live logs plugin does not store any personal data.

▼ [Activity report](#)

The Activity report plugin does not store any personal data.

▼ [Module participation](#)

The Course participation plugin does not store any personal data.

▼ [Performance overview](#)

The Performance overview plugin does not store any personal data.

▼ [Activity completion](#)

The Activity completion report only shows data stored in other locations.

▼ [Question instances](#)



The Question instances plugin does not store any personal data.

▼ [Security overview](#)

The Security overview plugin does not store any personal data.

▼ [Statistics](#)

stats_user_daily database_table	Records basic statistics about user interaction in courses.
courseid	An identifier for a course
userid	The user ID linked to this table.
roleid	The role ID of the user.
timeend	End time of logs view
statsreads	Views of content
statswrites	Content made in the course.
stattype	The type of stat being recorded

stats_user_weekly database_table	Records basic statistics about user interaction in courses.
courseid	An identifier for a course
userid	The user ID linked to this table.
roleid	The role ID of the user.
timeend	End time of logs view
statsreads	Views of content
statswrites	Content made in the course.
stattype	The type of stat being recorded

stats_user_monthly database_table	Records basic statistics about user interaction in courses.
courseid	An identifier for a course
userid	The user ID linked to this table.
roleid	The role ID of the user.
timeend	End time of logs view
statsreads	Views of content
statswrites	Content made in the course.
stattype	The type of stat being recorded

▼ [User sessions report](#)

The User sessions report plugin does not store any personal data.

▼ [Module report](#)

▼ [Grade export method](#)

▼ [OpenDocument spreadsheet](#)

The OpenDocument spreadsheet grade export plugin does not store any personal data.

▼ [Plain text file](#)



The Plain text file grade export plugin does not store any personal data.

▾ [Excel spreadsheet](#)

The Excel spreadsheet grade export plugin does not store any personal data.

▾ [XML file](#)

The XML file grade export plugin does not store any personal data.

▾ [Grade import method](#)

▾ [CSV file](#)

The import grades from CSV plugin does not store any personal data.

▾ [Paste from spreadsheet](#)

The import grades from copied spreadsheet plugin does not store any personal data.

▾ [XML file](#)

The import grades from XML plugin does not store any personal data.

▾ [Gradebook report](#)

▾ [Grader report](#)

grade_report_showcalculations user_preference	Whether a calculator icon for each grade item and category with a visual indicator that a grade item is calculated is displayed or not when editing is turned on
grade_report_showeyes user_preference	Whether to display the show/hide icon for each grade for controlling its visibility to the student
grade_report_showaverages user_preference	Whether to display an additional row with the average (mean) for each category and grade item
grade_report_showlocks user_preference	Whether to display a lock/unlock icon for each grade for controlling if the grade can be automatically updated by the related activity when editing is turned on
grade_report_showuserimage user_preference	Whether to show the user's profile image next to the name
grade_report_showactivityicons user_preference	Whether to show the activity icons next to activity names
grade_report_showranges user_preference	Whether to display an additional row with the range for each category and grade item
grade_report_showanalysisicon user_preference	Whether to show grade analysis icon by default. If the activity module supports it, the grade analysis icon links to a page with more detailed explanation of the grade and how it was obtained.



grade_report_rangesdispl	
aytype user_preference	Whether the range is displayed as real grades, percentages or letters, or whether the display type for the category or grade item is used (inherit)
grade_report_rangesdecimalpoints user_preference	The number of decimal places to display for each range or whether the overall decimal places setting for the category or grade item is used (inherit)
grade_report_averagesdisplaytype user_preference	Whether the average (mean) is displayed as real grades, percentages or letters, or whether the display type for the category or grade item is used (inherit).
grade_report_averagesdecimalpoints user_preference	The number of decimal places to display for each average or whether the overall decimal places setting for the category or grade item is used (inherit).
grade_report_meanselection user_preference	Whether cells with no grade should be included when calculating the average (mean) for each category or grade item
grade_report_shownumberofgrades user_preference	Whether to display in brackets after each average the number of grades used when calculating the average
grade_report_quickgrading user_preference	Whether to display a text input box for each grade, allowing many grades to be edited at the same time
grade_report_showquickfeedback user_preference	Whether to display a feedback text input box with a dotted border for each grade, allowing the feedback for many grades to be edited at the same time
grade_report_studentsperpage user_preference	The number of students displayed per page in the grader report
grade_report_showonlyactiveenrolled user_preference	Whether to display only active enrolled users (not suspended) in gradebook report or all the enrolled users
grade_report_aggregationposition user_preference	Whether the category and course total columns are displayed first or last in the gradebook reports
grade_report_enableajax user_preference	Whether to add a layer of AJAX functionality to the grader report, simplifying and speeding up common operations
grade_report_grader_collapsed_categories user_preference	List of gradebook categories to be collapsed

▾ [Grade history](#)

The Grade history report only shows data stored in other locations.

▾ [Outcomes report](#)

The Grade outcomes report only shows data stored in other locations.



▼ [Overview report](#)

The Grade overview report only shows data stored in other locations.

▼ [Single view](#)

The Grade single view report only shows data stored in other locations.

▼ [User report](#)

`gradereport_user_view_user_preference` Whether to view report as current user or another user in the gradebook reports

▼ [Advanced grading method](#)

▼ [Marking guide](#)

`gradingform_guide_fillings_database_table` Stores information about a user's grade and feedback for the marking guide.

`instanceid` An identifier to a grade used by an activity.

`criterionid` An identifier to a criterion for advanced marking.

`remark` Remarks related to this grade criterion.

`score` A score for this grade criterion.

`gradingform_guide-showmarkerdesc_user_preference` Whether to show marker criterion descriptions

`gradingform_guide-showstudentdesc_user_preference` Whether to show student criterion descriptions

▼ [Rubric](#)

`gradingform_rubric_fillings_database_table` Stores information about the user's grade created by the rubric.

`instanceid` An identifier relating to a grade in an activity.

`criterionid` An identifier for a specific criterion being graded.

`levelid` The level obtained in the rubric.

`remark` Remarks related to the rubric criterion being assessed.

▼ [Machine learning backend](#)

▼ [PHP machine learning backend](#)

The PHP machine learning backend plugin does not store any personal data.

▼ [Python machine learning backend](#)

The Python machine learning backend plugin does not store any personal data.



▼ MNet service

▼ Remote enrolment service

mnetsevice_enrol_enrolments database_table	The Remote enrolment service stores information about enrolments of local users in courses on remote hosts.
hostid	The ID of the remote MNet host
userid	The ID of the local user on this server
remotecourseid	The ID of the course on the remote server
rolename	The name of role on the remote server
enroltime	The time when the enrolment was modified
enroltype	The enrolment type on the remote server used to enrol the user in their course

▼ Webservice protocol

▼ REST protocol

The REST protocol plugin does not store any personal data.

▼ SOAP protocol

The SOAP protocol plugin does not store any personal data.

▼ XML-RPC protocol

The XML-RPC protocol plugin does not store any personal data.

▼ Repository

▼ Embedded files

The Embedded files repository plugin does not store or transmit any personal data.

▼ Box

box.com external_location	The Box repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.
query	The Box repository user search text query.

▼ acy module files

The Legacy course files repository plugin does not store or transmit any personal data.

▼ Dropbox

dropbox.com external_location	The Dropbox repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.
query	The Dropbox repository user search text query.

▼ EQUELLA repository



The EQUELLA repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.

▼ [File system](#)

The File system repository plugin does not store or transmit any personal data.

▼ [Flickr](#)

flickr.com
external_location The Flickr repository plugin does store user preferences, and transmits user data from Moodle to the remote system.

text The Flickr repository user search text query.

repository_flickr_access_token
user_preference The Flickr repository OAuth token preference.

repository_flickr_access_token_secret
user_preference The Flickr repository OAuth secret preference; this is excluded from privacy data exports.

▼ [Flickr public](#)

flickr.com
external_location The Flickr public repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.

author The Flickr public repository content author.

email_address The Flickr public repository user email address.

text The Flickr public repository user search text.

user_id The Flickr public repository user ID.

▼ [Google Drive](#)

drive.google.com
external_location The Google Drive repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.

email The email of the Google Drive repository user.

searchtext The Google Drive repository user search text query.

▼ [Server files](#)

The Server files repository plugin does not store or transmit any personal data.

▼ [Merlot.org](#)

merlot.org
external_location The Merlot.org repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.

author The Merlot.org repository content author.

keywords The Merlot.org repository user search text query.

licencekey The Merlot.org repository licence key.

▼ [Nextcloud](#)



The Nextcloud repository plugin neither stores any personal data nor transmits user data to the remote system.

▼ [Microsoft OneDrive](#)

onedrive.live.com external_location	The Microsoft OneDrive repository stores temporary access grants, and transmits user data from Moodle to the remote system.
---	---

searchtext	The Microsoft OneDrive repository user search text query.
------------	---

repository_onedrive_access database_table	The Microsoft OneDrive repository stores temporary access grants, and transmits user data from Moodle to the remote system.
---	---

itemid	The Microsoft OneDrive with a temporary access grant item ID.
--------	---

permissionid	The Microsoft OneDrive temporary access grant permission ID.
--------------	--

timecreated	The Microsoft OneDrive temporary access grant creation date/time.
-------------	---

timemodified	The Microsoft OneDrive temporary access grant modification date/time.
--------------	---

usermodified	The ID of the user modifying the Microsoft OneDrive temporary access grant.
--------------	---

▼ [Picasa web album](#)

picasa.google.com external_location	The Picasa web album repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.
---	--

search_text	The Picasa repository user search text query.
-------------	---

▼ [Recent files](#)

The Recent files repository plugin does not store or transmit any personal data.

▼ [Amazon S3](#)

The Amazon S3 repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.

▼ [Microsoft OneDrive \(legacy\)](#)

The Microsoft OneDrive (legacy) repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.

▼ [Upload a file](#)

The Upload a file repository plugin does not store or transmit any personal data.

▼ [URL downloader](#)

The URL downloader repository plugin does not store or transmit any personal data.

▼ [Private files](#)

The Private files repository plugin does not store or transmit any personal data.

▼ [WebDAV repository](#)

The WebDAV repository plugin does not store any personal data, but it is transmitted from Moodle to the remote system.



▼ [Wikimedia](#)

wikimedia.org

external_location

The Wikimedia repository plugin does store user preferences, and transmits user data from Moodle to the remote system.

search_text

The Wikimedia repository user search text query.

repository_wikimedia_maxwidth

user_preference

The user preference max width configured for the Wikimedia repository

repository_wikimedia_maxheight

user_preference

The user preference Max Height configured for the Wikimedia repository.

▼ [Flickr public \(Xpert\)](#) Additional

The Xpert Flickr public repository does not store or transmit Moodle users personal information. It does receive information about the author of the images in search results for from Flickr. When an image is selected the author's name is baked into the copyright attribution part of the stored image.

▼ [Upload and attribute a file \(Xpert\)](#) Additional

The Xpert upload and attribute a file repository does not store or transmit any personal information.

▼ [URL downloader \(Xpert\)](#) Additional

The Xpert URL downloader repository does not store or transmit any personal information.

▼ [YouTube videos](#)

youtube.com

external_location

The YouTube videos repository plugin does not store any personal data, but does transmit user data from Moodle to the remote system.

searchtext

The YouTube videos repository user search text query

▼ [Portfolio](#)

▼ [Box](#)

box.net

external_location

This plugin sends data externally to a linked Box account. It does not store data locally.

data

Personal data passed through from the portfolio subsystem.

▼ [File download](#)

This plugin does not store personal data, nor does it export personal data to an external location.

▼ [Flickr.com](#)

flickr.com

external_location

This plugin sends data externally to a linked Flickr account. It does not store data locally.

data

Personal data passed through from the portfolio subsystem.



▼ Google Drive

docs.google.com external_location	This plugin sends data externally to a linked Google account. It does not store data locally.
data	Personal data passed through from the portfolio subsystem.

▼ Mahara ePortfolio

mahara external_location	This plugin sends data externally to a linked Mahara application. It does not store data locally.
data	Personal data passed through from the portfolio subsystem.

▼ Picasa

picasa.google.com external_location	This plugin sends data externally to a linked Picasa account. It does not store data locally.
data	Personal data passed through from the portfolio subsystem.

▼ Search engine

▼ Simple search

search_simplifiedb_index database_table	Indexed contents
docid	Document ID (unique)
itemid	Item identifier (in search area scope)
title	Title
content	Contents
contextid	Document context ID
areaid	Search area ID
type	Document type
courseid	Course ID
owneruserid	Document owner user ID
modified	Last modification time
userid	Document user ID
description1	Extra description field
description2	Extra description field

▼ Solr

solr external_location	This plugin sends data externally to a linked Solr search engine. It does not store data locally.
data	Personal data passed through from the search subsystem.

▼ Question behaviour

▼ Adaptive mode

The Adaptive mode question behaviour plugin does not store any personal data.



▼ **Adaptive mode (no penalties)**

The Adaptive mode (no penalties) question behaviour plugin does not store any personal data.

▼ **Deferred feedback with CBM**

The Deferred feedback with CBM question behaviour plugin does not store any personal data.

▼ **Deferred feedback**

The Deferred feedback behaviour plugin does not store any personal data.

▼ **Immediate feedback with CBM**

The Immediate feedback with CBM question behaviour plugin does not store any personal data.

▼ **Immediate feedback**

The Immediate feedback question behaviour plugin does not store any personal data.

▼ **Behaviour for information items**

The Information items question behaviour plugin does not store any personal data.

▼ **Interactive with multiple tries**

The Interactive with multiple tries question behaviour plugin does not store any personal data.

▼ **Interactive with multiple tries (credit for earlier tries)**

The Interactive with multiple tries (credit for earlier tries) question behaviour plugin does not store any personal data.

▼ **Manually graded**

The Manually graded question behaviour plugin does not store any personal data.

▼ **Missing behaviour**

The Missing question behaviour plugin does not store any personal data.

▼ **Question import/export format**

▼ **Aiken format**

The Aiken question format plugin does not store any personal data.

▼ **Blackboard**

The Blackboard question format plugin does not store any personal data.

▼ **Examview**

The Examview question format plugin does not store any personal data.



▼ GIFT format

The GIFT question format plugin does not store any personal data.

▼ Missing word format

The Missing word question format plugin does not store any personal data.

▼ Embedded answers (Cloze)

The Embedded answers question plugin does not store any personal data.

▼ WebCT format

The WebCT question format plugin does not store any personal data.

▼ XHTML format

The XHTML question format plugin does not store any personal data.

▼ Moodle XML format

The XML question format plugin does not store any personal data.

▼ Plagiarism plugin

▼ Turnitin plagiarism plugin Additional Userlist provider missing

core_files

subsystem_link

Turnitin Assignment stores files that have been uploaded to Moodle to form a Turnitin submission.

plagiarism_turnitin_files

database_table

Information that links a Moodle submission to a Turnitin submission.

userid

The ID of the user who has made a submission.

similarityscore

The similarity score of the submission.

attempt

A timestamp indicating when the user viewed feedback on their submission.

transmatch

Indicates whether Turnitin used translated matching to produce a Similarity Report for the submission.

lastmodified

A timestamp indicating when the user last modified their submission.

grade

The grade applied by an instructor to the submission.

orcapable

Indicates whether Turnitin was able to produce a similarity report for the user's submission.

student_read

Indicates whether a student has read their feedback.

plagiarism_turnitin_users

database_table

Information about Plagiarism Plugin Users.

userid

The ID of the user who uses this plugin.

plagiarism_turnitin_client

external_location

To successfully make a submission to Turnitin, specific user data needs to be exchanged between Moodle and Turnitin. For more information around Moodle Plugins and GDPR, please visit: <https://help.turnitin.com/feedback-studio/moodle/moodle-plugins-and-gdpr.htm>

email

The user's email address is shared by Moodle to enable the creation of a Turnitin account.

firstname

The user's first name is sent to Turnitin so that the user can be identified.

lastname

The user's last name is sent to Turnitin so that the user can be identified.



submission_title	The title of the submission is sent to Turnitin so that it is identifiable.
submission_filename	The name of the submitted file is sent to Turnitin so that it is identifiable.
submission_content	Please be aware that the content of a file/submission is sent to Turnitin for processing.

▼ [Admin tool](#)

▼ [Analytic models](#)

The Analytic models plugin does not store any personal data.

▼ [Availability condition management](#)

The Availability condition management plugin does not store any personal data.

▼ [Acceptance testing](#)

The Acceptance testing plugin does not store any personal data.

▼ [Capability overview](#)

The Capability overview plugin does not store any personal data.

▼ [Cohort roles management](#)

tool_cohortroles database_table	The Cohort roles management plugin stores user cohort role mappings.
id	The ID of the cohort role mapping record
cohortid	The ID of the cohort
roleid	The ID of the role
userid	The ID of the user
timecreated	The time when the cohort role mapping was created
timemodified	The time when the cohort role mapping was modified
usermodified	The ID of the user who last modified the cohort role mapping

▼ [Language customisation](#)

The Language customisation plugin does not store any personal data.

▼ [Data privacy](#)

tool_dataprivacy_request database_table	Information from personal data requests (subject access and deletion requests) made for this site.
comments	Any user comments accompanying the request.
userid	The ID of the user to whom the request belongs
requestedby	The ID of the user making the request, if made on behalf of another user.
dpocomment	Any comments made by the site's privacy officer regarding the request.
timecreated	The timestamp indicating when the request was made by the user.

tool_dataprivacy_request-filters user_preference	The filters currently applied to the data requests page.
--	--



tool_dataprivacy_request-perpage The number of data requests the user prefers to see on one page

user_preference

▼ **Database transfer**

The Database transfer plugin does not store any personal data.

▼ **File types**

The File types plugin does not store any personal data.

▼ **Random module generator**

The Development data generator plugin does not store any personal data.

▼ **HTTPS conversion tool**

The HTTPS conversion tool plugin does not store any personal data.

▼ **Convert to InnoDB**

The Convert to InnoDB plugin does not store any personal data.

▼ **Plugin installer**

The Plugin installer plugin does not store any personal data.

▼ **Language packs**

The Language packs plugin does not store any personal data.

▼ **Log store manager**

logstore The log stores
plugin_type_link

▼ **Learning plans**

The Learning plans plugin does not store any personal data.

▼ **Import competency framework**

The Import competency framework plugin does not store any personal data.

▼ **Competencies migration tool**

The Competencies migration tool plugin does not store any personal data.

▼ **Inbound message configuration**

messageinbound_message list A list of message identifiers which failed validation and requires further authorisation



database_table	
messageid	The message ID
userid	The ID of user who need to approve the message
address	The address where the email was sent
timecreated	The time when the record was made

[core_userkey](#)
subsystem_link

User's keys to validate the email received

▼ [Moodle app tools](#)

tool_mobile_autologin_request_last
user_preference

The date of the last auto-login key request. Between each request 6 minutes are required.

[core_userkey](#)
subsystem_link

User's keys used to create auto-login key for the current user.

▼ [Event monitor](#)

tool_monitor_rules
database_table

This stores monitor rules.

description Description of the rule

name Name of the rule

userid The ID of user who created the rule.

plugin Frankenstlye name of the plugin

eventname Fully qualified name of the event

template Message template

frequency Frequency of notifications

timewindow Time window in seconds

timemodified When this rule was last modified

timecreated When this rule was created

tool_monitor_subscriptions
database_table

Stores user subscriptions to various rules

userid The ID of the subscriber.

timecreated When this subscription was created

lastnotificationent When a notification was last sent for this subscription.

inactivatedate Period of time, in days, after which an inactive subscription will be removed completely

tool_monitor_history
database_table

Stores the history of the message notifications sent

userid The ID of the user to whom this notification was sent

timesent When the message was sent

[core_message](#)
subsystem_link

Notifications are sent to the message system.

▼ [Multilang upgrade](#)

The Multilang upgrade plugin does not store any personal data.



▼ [OAuth 2 services](#)

The OAuth 2 services plugin does not store any personal data.

▼ [PHPUnit tests](#)

The PHPUnit tests plugin does not store any personal data.

▼ [Policies](#)

tool_policy_acceptances database_table	Information about policy agreements made by users.
policyversionid	The version of the policy for which consent was given.
userid	The user for whom this policy agreement relates to.
status	The status of the agreement.
lang	The language used to display the policy when consent was given.
usermodified	The user who gave consent for the policy, if made on behalf of another user.
timecreated	The time when the user agreed to the policy.
timemodified	The time when the user updated their agreement.
note	Any comments added by a user when giving consent on behalf of another user.

tool_policy_versions database_table	Policy version information.
name	The name of the policy.
type	Policy type.
audience	The type of users required to give their consent.
archived	The policy status (active or inactive).
usermodified	The user who modified the policy.
timecreated	The time that this version of the policy was created.
timemodified	The time that this version of the policy was updated.
policyid	The policy that this version is associated with.
revision	The revision name of this version of the policy.
summary	The summary of this version of the policy.
summaryformat	The format of the summary field.
content	The content of this version of the policy.
contentformat	The format of the content field.

core_files subsystem_link	The policy tool stores files included in the summary and full policy.
---	---

▼ [Profiling runs](#)

The Profiling runs plugin does not store any personal data.

▼ [Recycle bin](#)

The Recycle bin plugin does not store any personal data.

▼ [DB search and replace](#)

The DB search and replace plugin does not store any personal data.

▼ [Spam cleaner](#)



The Spam cleaner plugin does not store any personal data.

▼ [Scheduled task configuration](#)

The Scheduled task configuration plugin does not store any personal data.

▼ [Template library](#)

The Template library plugin does not store any personal data.

▼ [Unsupported role assignments](#)

The Unsupported role assignments plugin does not store any personal data.

▼ [Course upload](#)

The Course upload plugin does not store any personal data.

▼ [User upload](#)

The User upload plugin does not store any personal data.

▼ [User tours](#)

<code>tool_usertours_tour_reset_time_user_preference</code>	The time that a user last manually requested a user tour.
---	---

<code>tool_usertours_tour_completion_time_user_preference</code>	The time that a user last completed a user tour.
--	--

▼ [XMLDB editor](#)

The XMLDB editor plugin does not store any personal data.

▼ [Cache store](#)

▼ [APC user cache \(APCu\)](#)

The APC user cache (APCu) plugin stores data briefly as part of its caching functionality but this data is regularly cleared and is not sent externally in any way.

▼ [File cache](#)

The File cache cachestore plugin stores data briefly as part of its caching functionality but this data is regularly cleared.

▼ [Memcached](#)

<code>memcached_external_location</code>	The Memcached cachestore plugin stores data briefly as part of its caching functionality. This data is stored on an Memcache server where data is regularly removed.
--	--

<code>data</code>	The various data stored in the cache
-------------------	--------------------------------------

Memcached



▼ [MongoDB](#)

mongodb

external_location	The MongoDB cachestore plugin stores data briefly as part of its caching functionality. This data is stored on an MongoDB server where data is regularly removed.
data	The various data stored in the cache

▼ [Redis](#)

redis	The Redis cachestore plugin stores data briefly as part of its caching functionality. This data is stored on an Redis server where data is regularly removed.
external_location	
data	The various data stored in the cache

▼ [Session cache](#)

core_user	The Session cachestore plugin stores data briefly as part of its caching functionality. This data is stored in the short-lived user session.
subsystem_link	

▼ [Static request cache](#)

The Static request cachestore plugin stores some data, but this is only present for the lifetime of a single HTTP request.

▼ [Cache lock handler](#)

▼ [File locking](#)

The File locking plugin does not store any personal data.

▼ [Document converter](#)

▼ [Google Drive](#)

googledrive	This information is sent to Google Drive API in order the file to be converted to an alternative format. The file is temporarily kept on Google Drive and gets deleted after the conversion is done.
external_location	
params	The query parameters passed to Google Drive API.
filecontent	The content of the file.
filemimetype	The MIME type of the file.

▼ [Microsoft OneDrive](#) Additional

onedrive	This information is sent to Microsoft OneDrive API in order the file to be converted to an alternative format. The file is temporarily kept on Microsoft OneDrive Drive and gets deleted after the conversion is done.
external_location	
params	The query parameters passed to Microsoft OneDrive API.
filecontent	The content of the file.

▼ [Unoconv](#)

The Unoconv document converter plugin does not store any personal data.

▼ [Theme](#)



▼ [Boost](#)

drawer-open-nav
user_preference

The user's preference for hiding or showing the drawer menu navigation.

▼ [Classic](#)

The Classic theme does not store any personal data.

▼ [Nottingham](#) Additional

The theme makes use of the Boost user preferences. The Boost theme will handle exporting it.

▼ [Nottingham Faculty of Arts](#) Additional

This theme does not store any personal data.

▼ [Nottingham Faculty of Engineering](#) Additional

This theme does not store any personal data.

▼ [Nottingham The Environment](#) Additional

This theme does not store any personal data.

▼ [Nottingham Foundation](#) Additional

This theme does not store any personal data.

▼ [Nottingham Leadership and Management Academy](#) Additional

The LMA theme does not store any personal data.

▼ [Nottingham Faculty of Medicine and Health Sciences](#) Additional

This theme does not store any personal data.

▼ [Nottingham Professional Services](#) Additional

This theme does not store any personal data.

▼ [Nottingham Faculty of Science](#) Additional

This theme does not store any personal data.

▼ [Nottingham Faculty of Social Sciences](#) Additional

This theme does not store any personal data.

▼ [Local plugin](#)

▼ [Archive tool](#) Additional



The course archive tool does not store or transmit any personal information.

▼ [Bulk role assign](#) Additional

The plugin examines user data to check if it matches rules for category enrolment. While a user matches a rule they will be enrolled at a category level in Moodle. The plugin itself does not store any personal data, nor does it transmit any personal data to an external system.

▼ [Fullscreen toggle button](#) Additional

fullscreenmode user_preference	Stores if the user has full screen mode active.
--	---

▼ [MediaSpace package libraries](#) Additional

lti_client external_location	The LTI Consumer provides user information and context to the LTI Tool Provider.
userid	The ID of the user accessing the LTI Consumer
username	The username of the user accessing the LTI Consumer
useridnumber	The ID number of the user accessing the LTI Consumer
firstname	The firstname of the user accessing the LTI Consumer
lastname	The lastname of the user accessing the LTI Consumer
fullname	The fullname of the user accessing the LTI Consumer
email	The email address of the user accessing the LTI Consumer
role	The role in the course for the user accessing the LTI Consumer
courseid	The ID of the course the user is accessing the LTI Consumer from
courseidnumber	The ID number of the course the user is accessing the LTI Consumer from
courseshortname	The shortname of the course the user is accessing the LTI Consumer from
coursefullname	The fullname of the course the user is accessing the LTI Consumer from
custompublishdata	The courses the user is enrolled in and the LTI roles the user has in the course
editor	The editor of the user accessing the LTI Consumer
module	The name of the module the user is accessing the LTI Consumer from
source	The source URL of the media entry of the user accessing the LTI Consumer

▼ [Media Gallery](#) Additional

Kaltura media gallery plugin does not store any personal data.

▼ [Large file report](#) Additional

This plugin does not store or use personal data.

▼ [Moodle Mobile additional features](#) Additional

Moodle Mobile additional features plugin does not store any personal data

▼ [My Media](#) Additional

My Media plugin does not store any personal data.

▼ [New Relic](#) Additional

newrelic external_location	Data is sent to NewRelic so that error traces contain Moodle specific information that helps yo diagnose the cause of problems.
--------------------------------------	---



userid	The Moodle id of a user.
contextid	The id of the context of the page that a user is viewing.
pageurl	The url of the page that the user is viewing.

▼ [GSA Spider](#) Additional

search_engine external_location	Allows an authenticated search engine to crawl and index content within a configured category. The search engine may index personal information if it appears on the pages at the time of crawling.
moodle_page	The contents of a course or activity page as displayed for the search engine user account

▼ [University of Nottingham Functions Library Plugin](#) Additional

local_uonlib_check_login external_location	A web service that verifies a username and password or time limited key.
userid	The Moodle user id is returned to the caller
username	The username of the user is returned if they are authenticated with a time limited key.

local_uonlib_user_details external_location	A web service that returns the details of a single user.
userid	The Moodle id of the user
username	The username of the user
idnumber	The idnumber of the user. This could be a student number or staff payroll number
firstname	The first name of the user
lastname	The last name of the user
degree	The student record system code for the degree the user is studying
year	The year of study of the user
email	The e-mail address of the user
status	Which type of university user they are, for example: staff or student

local_uonlib_user_list external_location	A web service that returns a list of users based of their University of Nottingham programme and year of study.
userid	The Moodle id of the user
username	The username of the user
idnumber	The idnumber of the user. This could be a student number or staff payroll number
firstname	The first name of the user
lastname	The last name of the user
degree	The student record system code for the degree the user is studying
year	The year of study of the user
email	The e-mail address of the user
status	Which type of university user they are, for example: staff or student

local_uonlib_course_user_list external_location	A web service that returns a list of users on a Moodle course.
userid	The Moodle id of the user
username	The username of the user
idnumber	The idnumber of the user. This could be a student number or staff payroll number
firstname	The first name of the user
lastname	The last name of the user



degree	The student record system code for the degree the user is studying
year	The year of study of the user
email	The e-mail address of the user
status	Which type of university user they are, for example: staff or student

local_uonlib_assign_submissions	A web service that returns a list of submissions to a Moodle assignment
external_location	
url	The url to download the assignment submission
username	The user name of the user who submitted the assignment

▼ Assignment / Submission plugin

▼ Submission comments

core_comment	Comments between the student and teacher about a submission.
subsystem_link	

▼ File submissions

core_files	The files loaded for this assignment submission
subsystem_link	

▼ Online text submissions

assignsubmission_onlinetext	Stores the text submission for each attempt.
database_table	
assignment	Assignment ID
submission	The submission ID that links to submissions for the user.
onlinetext	The actual text submitted for this attempt of the assignment.

core_files	Files that are embedded in the text submission.
subsystem_link	

▼ Assignment / Feedback plugin

▼ Feedback comments

assignfeedback_comments	This stores comments made by the graders as feedback for the student on their submission.
database_table	
assignment	Assignment ID
grade	The grade ID associated with the comment.
commenttext	The comment text.

core_files	Feedback files from the teacher for the student.
subsystem_link	

▼ Annotate PDF

assignfeedback_editpdf_quick	Stores teacher specified quicklist comments
database_table	



userid	The user ID
rawtext	Stores raw text for the quick data.
colour	Colour of the comment or annotation

core_files subsystem_link	Stores an annotated PDF with feedback for the user.
--	---

core_fileconverter subsystem_link	Files are converted to PDFs to allow for annotations.
--	---

▼ [File feedback](#)

core_files subsystem_link	Feedback files from the teacher for the student.
--	--

▼ [Offline grading worksheet](#)

This plugin has no database to store user information. It only uses APIs in mod_assign to help with displaying the grading interface.

▼ [Assignment 2.2 \(Disabled\) / assignment](#)

▼ [Offline](#)

The Offline assignment plugin does not store any personal data.

▼ [Online](#)

The Online assignment plugin does not store any personal data.

▼ [Upload](#)

The Upload assignment plugin does not store any personal data.

▼ [Upload single](#)

The Upload single assignment plugin does not store any personal data.

▼ [Book / Book tool](#)

▼ [Book IMS CP export](#)

The Book IMS CP export plugin does not store any personal data.

▼ [Book chapter import](#)

The Book chapter import plugin does not store any personal data.

▼ [Book printing](#)

The Book printing plugin does not store any personal data.

▼ [Database / Database field type](#)



▼ [Checkbox](#)

The Checkbox field component does not store any personal data itself, it uses tables defined in mod_data.

▼ [Date](#)

The Date field component does not store any personal data, it uses tables defined in mod_data.

▼ [File](#)

The File field component does not store any personal data, it uses tables defined in mod_data.

▼ [Latlong](#)

The Latitude/longitude field component does not store any personal data, it uses tables defined in mod_data.

▼ [Menu](#)

The Menu field component does not store any personal data, it uses tables defined in mod_data.

▼ [Multimenu](#)

The Multiple-selection menu field component does not store any personal data, it uses tables defined in mod_data.

▼ [Number](#)

The Number field component does not store any personal data, it uses tables defined in mod_data.

▼ [Picture](#)

The Picture field component does not store any personal data, it uses tables defined in mod_data.

▼ [Radio button](#)

The Radio button field component does not store any personal data, it uses tables defined in mod_data.

▼ [Text input](#)

The Text field component does not store any personal data, it uses tables defined in mod_data.

▼ [Text area](#)

The Textarea field component does not store any personal data, it uses tables defined in mod_data.

▼ [URL](#)

The URL field component does not store any personal data, it uses tables defined in mod_data.

▼ [Database / Preset](#)

▼ [Image gallery](#)

The Image gallery plugin does not store any personal data.

▼ [Forum / forumreport](#)



▼ [Forum summary report](#)

The Forum summary report plugin does not store any personal data.

▼ [External tool / LTI source](#)

▼ [External tool / LTI service](#)

▼ [Basic Outcomes Service](#)

External LTI provider. external_location	This information is sent to an external LTI provider.
userid	The ID of the user using the LTI consumer.
grade	The tool's grades of the user using the LTI consumer.

▼ [LTI Assignment and Grade Services](#)

External LTI provider. external_location	This information is sent to an external LTI provider.
userid	The ID of the user using the LTI consumer.
grade	The grade the user received in Moodle for this LTI activity.
maxgrade	The max grade that can be achieved for this LTI activity.
feedback	The feedback the user received for this LTI activity.
timemodified	The last time the grade was updated

▼ [Names and Role Provisioning LTI Service](#)

External LTI provider. external_location	This information is sent to an external LTI provider.
userid	The ID of the user using the LTI consumer.
useridnumber	The ID number of the user using the LTI consumer
fullname	The fullname of the user using the LTI consumer.
firstname	The firstname of the user using the LTI consumer.
lastname	The lastname of the user using the LTI consumer.
email	The email of the user using the LTI consumer.

▼ [Tool Consumer Profile LTI Service](#)

The Tool Consumer Profile LTI Service plugin does not store any personal data.

▼ [Tool Proxy Service](#)

The Tool Proxy Service plugin does not store any personal data.

▼ [Tool Settings Service](#)

The Tool Settings Service plugin does not store any personal data.

▼ [Quiz / Report](#)

▼ [Manual grading](#)



The Quiz Manual grading plugin does not store any personal data. It provides an interface for users to store data without storing any data itself.

▼ [Grades](#)

quiz_overview_slotmarks Whether to show marks for each question slot.
user_preference

▼ [Responses](#)

quiz_report_responses_qt Whether to show the question text columns.
ext
user_preference

quiz_report_responses_re Whether to show the students' response columns.
sp
user_preference

quiz_report_responses_rig Whether to show the correct response columns.
ht
user_preference

quiz_report_responses_wh Which tries to show responses from.
ich_tries
user_preference

▼ [Statistics](#)

Although the Quiz Statistics plugin has database tables, the data is aggregate data and does not describe a unique individual.

▼ [Quiz / Access rule](#)

▼ [Delay between attempts quiz access rule](#)

The Delay between attempts quiz access rule plugin does not store any personal data.

▼ [IP address quiz access rule](#)

The IP address quiz access rule plugin does not store any personal data.

▼ [Number of attempts quiz access rule](#)

The Number of attempts quiz access rule plugin does not store any personal data.

▼ [Offline attempts access rule](#)

The Offline attempts quiz access rule plugin does not store any personal data.

▼ [Open and close date access rule](#)

The Open and close date quiz access rule plugin does not store any personal data.

▼ [Password quiz access rule](#)

The Password quiz access rule plugin does not store any personal data.



▼ [Safe Exam Browser quiz access rule](#)

The Safe Exam Browser quiz access rule plugin does not store any personal data.

▼ [JavaScript security quiz access rule](#)

The JavaScript security quiz access rule plugin does not store any personal data.

▼ [Time limit quiz access rule](#)

The Time limit quiz access rule plugin does not store any personal data.

▼ [SCORM package / Report](#)

▼ [Basic report](#)

<code>scorm_report_pagesize</code> user_preference	Number of users to display in the SCORM reports
---	---

<code>scorm_report_detailed</code> user_preference	Whether to track details in the SCORM basic report
---	--

▼ [Graph report](#)

The Graph report only shows data stored in other locations.

▼ [Interactions report](#)

<code>scorm_report_pagesize</code> user_preference	Number of users to display in the SCORM reports
---	---

<code>scorm_report_interactions</code> <code>_qtext</code> user_preference	Whether to display the summary of questions in the SCORM interactions report
--	--

<code>scorm_report_interactions</code> <code>_resp</code> user_preference	Whether to display the summary of responses in the SCORM interactions report
---	--

<code>scorm_report_interactions</code> <code>_right</code> user_preference	Whether to display the summary of right answers in the SCORM interactions report
--	--

<code>scorm_report_interactions</code> <code>_result</code> user_preference	Whether to display the summary of results in the SCORM interactions report
---	--

▼ [Objectives report](#)

<code>scorm_report_pagesize</code> user_preference	Number of users to display in the SCORM reports
---	---

<code>scorm_report_objectives</code> <code>score</code> user_preference	Whether to display the objective score in the SCORM report
---	--

▼ [Workshop / Gradina strateav](#)



▼ Accumulative grading

The Accumulative grading plugin only stores the details of the assessment form. Actual personal data of how the form has been filled are stored by the Workshop module itself and are attached to exported assessments.

▼ Comments

The Comments grading plugin only stores the details of the assessment form. Actual personal data of how the form has been filled are stored by the Workshop module itself and are attached to exported assessments.

▼ Number of errors

The Number of errors plugin only stores the details of the assessment form. Actual personal data of how the form has been filled are stored by the Workshop module itself and are attached to exported assessments.

▼ Rubric

The Rubric plugin only stores the details of the assessment form. Actual personal data of how the form has been filled are stored by the Workshop module itself and are attached to exported assessments.

▼ Workshop / Submissions allocation method

▼ Manual allocation

`workshopallocation_manual_preference` Number of allocated assessments the user prefers to see on one page.

▼ Random allocation

The Random allocation plugin does not store any personal data. Actual personal data about who is going to assess whom are stored by the Workshop module itself and they form basis for exporting the assessments details.

▼ Scheduled allocation

The Scheduled allocation plugin does not store any personal data. Actual personal data about who is going to assess whom are stored by the Workshop module itself and they form basis for exporting the assessments details.

▼ Workshop / Grading evaluation method

▼ Comparison with the best assessment

The Comparison with the best assessment plugin does not store any personal data. Actual personal data user's grades are stored by the Workshop module itself and are attached to the exported submissions and assessments data.

▼ Atto HTML editor / Atto plugin

▼ Accessibility checker

The `atto_accessibilitychecker` plugin does not store any personal data.

▼ Screenreader helper

The `atto_accessibilityhelper` plugin does not store any personal data.



▼ [Text align](#)

The atto_align plugin does not store any personal data.

▼ [Background colour](#)

The atto_backcolor plugin does not store any personal data.

▼ [Bold](#)

The atto_bold plugin does not store any personal data.

▼ [Insert character](#)

The atto_charmap plugin does not store any personal data.

▼ [Clear formatting](#)

The atto_clear plugin does not store any personal data.

▼ [Show/hide advanced buttons](#)

The atto_collapse plugin does not store any personal data.

▼ [Echo360 Plugin \(Atto\)](#) Additional

echo360.com
external_location

The Echo360 Plugin (Atto) does not store any personal data, but does transmit user and context data to integrate with Echo360.

userid

The ID of the user accessing the Echo360 Plugin (Atto)

fullname

The fullname of the user accessing the Echo360 Plugin (Atto)

firstname

The firstname of the user accessing the Echo360 Plugin (Atto)

lastname

The lastname of the user accessing the Echo360 Plugin (Atto)

email

The email address of the user accessing the Echo360 Plugin (Atto)

roles

The roles in the course for the user accessing the Echo360 Plugin (Atto)

courseid

The ID of the course the user is accessing the Echo360 Plugin (Atto)

courseshortname

The shortname of the course the user is accessing the Echo360 Plugin (Atto)

coursefullname

The fullname of the course the user is accessing the Echo360 Plugin (Atto)

▼ [Emoji picker](#)

The atto_emojipicker plugin does not store any personal data.

▼ [Emoticon](#)

The atto_emoticon plugin does not store any personal data.

▼ [Equation editor](#)

The atto_equation plugin does not store any personal data.

▼ [Font colour](#)



The atto_fontcolor plugin does not store any personal data.

Additional
▼ [Toggle full screen](#)

The Atto Toggle full screen plugin does not store any personal data.

▼ [Insert H5P](#)

The atto_h5p plugin does not store any personal data.

▼ [HTML](#)

The atto_html plugin does not store any personal data.

▼ [Insert or edit image](#)

The atto_image plugin does not store any personal data.

▼ [Indent](#)

The atto_indent plugin does not store any personal data.

▼ [Italic](#)

The atto_italic plugin does not store any personal data.

Additional
▼ [Embed Kaltura Media](#)

The atto_kalturamedia plugin does not store any personal data.

▼ [Link](#)

The atto_link plugin does not store any personal data.

▼ [Manage files](#)

The atto_managefiles plugin does not store any personal data.

▼ [Insert or edit an audio/video file](#)

The atto_media plugin does not store any personal data.

▼ [Prevent auto-link](#)

The atto_noautolink plugin does not store any personal data.

▼ [Ordered list](#)

The atto_orderedlist plugin does not store any personal data.

▼ [RecordRTC](#)

The RecordRTC plugin does not store any personal data.



The recorder plugin does not store any personal data.

▼ [RTL/LTR](#)

The atto_rtl plugin does not store any personal data.

▼ [Strike through](#)

The atto_strike plugin does not store any personal data.

▼ [Subscribe](#)

The atto_subscribe plugin does not store any personal data.

▼ [Superscript](#)

The atto_superscript plugin does not store any personal data.

▼ [Table](#)

The atto_table plugin does not store any personal data.

▼ [Paragraph styles](#)

The atto_title plugin does not store any personal data.

▼ [Underline](#)

The atto_underline plugin does not store any personal data.

▼ [Undo/Redo](#)

The atto_undo plugin does not store any personal data.

▼ [Unordered list](#)

The atto_unorderedlist plugin does not store any personal data.

▼ [TinyMCE HTML editor / Plugin](#)

▼ [CTRL+right click helper](#)

The Ctrl+right TinyMCE plugin does not store any personal data.

▼ [Kaltura media](#) Additional

The TinyMCE Kaltura Media plugin does not store any personal data.

▼ [Manage embedded files](#)

The Manage embedded files TinyMCE plugin does not store any personal data.

▼ [Insert emoticon](#)

The insertemoticon TinyMCE plugin does not store any personal data.



The Moodle Emoticon TinyMCE plugin does not store any personal data.

▼ [Insert image](#)

The TinyMCE Moodle image plugin does not store any personal data.

▼ [Insert media](#)

The TinyMCE Moodle Media plugin does not store any personal data.

▼ [Prevent automatic linking](#)

The TinyMCE Automatic link prevention plugin does not store any personal data.

▼ [Toolbar Toggle](#)

The TinyMCE Toolbar toggle plugin does not store any personal data.

▼ [Legacy spell checker](#)

The TinyMCE Legacy spell checker plugin does not store any personal data.

▼ [Wrap](#)

The TinyMCE Wrap plugin does not store any personal data.

▼ [Log store manager / Log store](#)

▼ [Standard log archive](#) Additional

log	A collection of past events archived from the standard log store.
external_location	
eventname	The event name
userid	The ID of the user who triggered this event
relateduserid	The ID of a user related to this event
anonymous	Whether the event was flagged as anonymous
other	Additional information about the event
timecreated	The time when the event occurred
origin	The origin of the event
ip	The IP address used at the time of the event
realuserid	The ID of the real user behind the event, when masquerading a user.

▼ [Legacy log archive](#) Additional

log	A collection of past events archived from the legacy log
external_location	
time	The time when the action took place
userid	The ID of the user who performed the action
ip	The IP address used at the time of the event
action	A description of the action
url	The URL related to the event
info	Additional information



▼ [External database log](#)

log	A collection of past events
external_location	
eventname	The event name
userid	The ID of the user who triggered this event
relateduserid	The ID of a user related to this event
anonymous	Whether the event was flagged as anonymous
other	Additional information about the event
timecreated	The time when the event occurred
origin	The origin of the event
ip	The IP address used at the time of the event
realuserid	The ID of the real user behind the event, when masquerading a user.

▼ [Legacy log](#)

log	A collection of past events
external_location	
time	The time when the action took place
userid	The ID of the user who performed the action
ip	The IP address used at the time of the event
action	A description of the action
url	The URL related to the event
info	Additional information

▼ [Standard log](#)

logstore_standard_log	A collection of past events
database_table	
eventname	The event name
userid	The ID of the user who triggered this event
relateduserid	The ID of a user related to this event
anonymous	Whether the event was flagged as anonymous
other	Additional information about the event
timecreated	The time when the event occurred
origin	The origin of the event
ip	The IP address used at the time of the event
realuserid	The ID of the real user behind the event, when masquerading a user.

▼ [core](#)

▼ [core_access](#)

This subsystem does not store any data.

▼ [core_admin](#)

The Administration plugin does not store any personal data.

▼ [core_analytics](#)



analytics_indicator_calc database_table	Indicator calculations
starttime	Calculation start time
endtime	Calculation end time
contextid	The context
sampleorigin	The origin table of the sample
sampleid	The sample ID
indicator	The indicator calculator class
value	The calculated value
timecreated	When the prediction was made

analytics_predictions database_table	Predictions
modelid	The model ID
contextid	The context
sampleid	The sample ID
rangeindex	The index of the analysis interval
prediction	The prediction
predictionscore	The prediction score
calculations	Indicator calculations
timecreated	When the prediction was made
timestart	Calculations time start
timeend	Calculations time end

analytics_prediction_actions database_table	Prediction actions
predictionid	The prediction ID
userid	The user that made the action
actionname	The action name
timecreated	When the prediction action was performed

▼ [core_antivirus](#)

The Antivirus system does not store any personal data.

▼ [core_auth](#)

auth_forcepasswordchange user_preference	Indicates whether the user should change their password upon logging in
--	---

create_password user_preference	Indicates that a password should be generated for the user
---	--

login_failed_count user_preference	The number of times the user failed to log in
--	---

login_failed_count_since_success user_preference	The number of times the user failed to login since their last successful login
--	--

login_failed_last user_preference	The date when the last failed login attempt was recorded
---	--



login_lockout user_preference	Whether the user's account is locked due to failed login attempts, and the date when the account was locked
---	---

login_lockout_ignored user_preference	Indicates that a user's account should never be subject to lockouts
---	---

login_lockout_secret user_preference	When locked, the secret the user must use for unlocking their account
--	---

▼ [core_availability](#)

The Access restriction subsystem does not store any personal data.

▼ [core_backup](#)

Backup external_location	The purpose of this archive is to store information related to a course, which may be restored in the future.
------------------------------------	---

detailsofarchive	This archive can contain various user data related to a course, such as grades, user enrolments and activity data.
------------------	--

backup_controllers database_table	The list of backup operations
---	-------------------------------

operation	The operation that was performed, eg. restore.
-----------	--

type	The type of the item being operated on, eg. activity.
------	---

itemid	The ID of the course
--------	----------------------

timecreated	The time when the action was created
-------------	--------------------------------------

timemodified	The time when the action was modified
--------------	---------------------------------------

▼ [core_badges](#)

badge database_table	A collection of badges
--------------------------------	------------------------

usercreated	The ID of the user who created the badge
-------------	--

usermodified	The ID of the user who modified the badge
--------------	---

timecreated	The time when the badge was created
-------------	-------------------------------------

timemodified	The time when the badge was last modified
--------------	---

badge_issued database_table	A record of badges awarded
---------------------------------------	----------------------------

userid	The ID of the user who was awarded a badge
--------	--

dateissued	The date of the award
------------	-----------------------

dateexpire	The date when the badge expires
------------	---------------------------------

badge_criteria_met database_table	A collection of criteria which have been met
---	--

userid	The ID of the user who has met the criteria
--------	---

datemet	The date when the criteria was met
---------	------------------------------------

badge_manual_award database_table	A record of manual awards
---	---------------------------

recipientid	The ID of the user who is manually awarded a badge
-------------	--

issuerid	The ID of the user awarding the badge
----------	---------------------------------------



issueroles	The role of the user awarding the badge
datemet	The date when the user was awarded the badge

badge_backpack database_table	A record of user's backpacks
userid	The ID of the user whose backpack it is
email	The email associated with the backpack
externalbackpackid	The ID of the backpack
backpackuid	The backpack unique identifier

backpacks external_location	Information shared when users submit their badges to an external backpack
name	The name of the badge
description	The description of the badge
image	The image of the badge
url	The Moodle URL where the issued badge information can be seen
issuer	Some information about the issuer

▼ [core_block](#)

blockIDhidden user_preference	Records when the user collapsed/hid a block
---	---

docked_block_instance_ID user_preference	Records when the user docked a block
--	--------------------------------------

▼ [core_blog](#)

post database_table	The information related to blog entries
userid	The ID of the user who added the blog entry
subject	The blog entry title
summary	The blog entry text
uniquehash	A unique identifier for an external entry, typically a URL
publishstate	Whether the entry is visible to others or not
created	The date when the blog entry was created
lastmodified	The date when the blog entry was last modified

core_comment subsystem_link	Comments associated with blog entries
---	---------------------------------------

core_files subsystem_link	Files attached to blog entries
---	--------------------------------

core_tag subsystem_link	Tags associated with blog entries
---	-----------------------------------

blog_external database_table	A link to an external RSS feed
userid	The ID of the user who added the external blog entry
name	The name of the feed
description	The description of the feed



url	The URL of the feed
filtertags	The list of tags to filter the entries with
timemodified	The time when the association was last modified
timefetched	The time when the feed was last fetched

▼ [core_bulkusers](#)

This subsystem does not store any data.

▼ [core_cache](#)

cachestore plugin_type_link	The Cache subsystem stores data temporarily on behalf of other parts of Moodle. This data is not easily identifiable, and is very short lived. It serves as a cache of data stored elsewhere in Moodle, and should therefore already be handled by those Moodle components.
--	---

▼ [core_calendar](#)

event database_table	The Calendar component can store user calendar event details within the core subsystem.
name	The name of the calendar event.
description	The description of the calendar event.
eventtype	The event type of the calendar event.
timestart	The start time of the calendar event.
timeduration	The duration of the calendar event.

event_subscriptions database_table	The Calendar component can stores user calendar subscriptions details within the core subsystem.
name	The name of the calendar subscription.
url	The url of the calendar subscription.
eventtype	The event type of the calendar subscription.

calendar_savedfft user_preference	The configured calendar event type display user preference.
---	---

▼ [core_cohort](#)

cohort_members database_table	Information about the user's cohort.
cohortid	The ID of the cohort
userid	The ID of the user which is associated to the cohort
timeadded	The timestamp indicating when the user was added to the cohort

▼ [core_comment](#)

comments database_table	Stores comments of users.
content	Stores the text of the comment.
timecreated	Time a comment was created.
userid	The user who made the comment.

▼ [core_competency](#)



competency database_table	A record of the competencies
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_coursecomp setting database_table	A record of the competency settings in a course
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_framework database_table	A record of the competency frameworks
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_coursecomp database_table	A record of the competencies linked to a course
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_template database_table	A record of the learning plan templates
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_templatecomp database_table	A record of the competencies in a learning plan template
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_templatecohort database_table	A record of the cohorts associated with a learning plan template
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_relatedcomp database_table	A record of the relationship between competencies
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record



competency_modulecomp database_table	A record of the competencies linked to a module
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_plan database_table	A record of the learning plans
name	The name of the learning plan
description	The description of the learning plan
userid	The ID of the user whose learning plan it is
status	The status of the learning plan
duedate	The due date of the learning plan
reviewerid	The ID of the reviewer of the learning plan
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_usercomp database_table	A record of a user's state of competencies
userid	The ID of the user whose competency it is
status	The status of the competency
reviewerid	The ID of the reviewer
proficiency	Whether proficiency is achieved
grade	The grade given for the competency
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_usercompcourse database_table	A record of a user's state of competencies in a course
userid	The ID of the user whose competency it is
proficiency	Whether proficiency is achieved
grade	The grade given for the competency
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_usercompplan database_table	A record of the state of competencies in a learning plan
userid	The ID of the user whose competency it is
proficiency	Whether proficiency is achieved
grade	The grade given for the competency
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_plancomp database_table	A record of the competencies in a learning plan
--	---



timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_evidence database_table	A record of the evidence affecting a competency's state
action	The type of action taken with the evidence
actionuserid	The user performing the action
descidentifier	An identifier of the translatable evidence description
desccomponent	The component of the translatable evidence description
desca	The optional parameters of the translatable evidence description
url	A URL associated with the evidence
grade	The grade associated with the evidence
note	A non-localised note attached to the evidence
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_userevidence database_table	A record of the evidence of prior learning
name	The name of the evidence of prior learning
description	The description of the evidence
url	A URL associated with the evidence
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

competency_userevidence comp database_table	A record of the competencies associated with evidence of prior learning
timecreated	The time when the record was created
timemodified	The time when the record was edited
usermodified	The user who created or modified the record

<u>core_comment</u> subsystem_link	Comments made on learning plans and competencies
---	--

▼ [core_completion](#)

course_completions database_table	Stores the course completion data for a user.
userid	The user ID of the person with course and activity completion data
course	A course identifier
timeenrolled	The time that the user was enrolled in the course
timestarted	The time the course was started.
timecompleted	The time that the course was completed.
reaggregate	If the course completion was reaggregated.

course_modules_completi on database_table	Stores activity completion data for a user
---	--



userid	The user ID of the person with course and activity completion data
coursemoduleid	The activity ID
completionstate	If the activity has been completed
viewed	If the activity was viewed
overrideby	The user ID of the person who overrode the activity completion
timemodified	The time that the activity completion was modified

course_completion_crit_c ompl database_table	Stores information about users who have completed criteria in a course
userid	The user ID of the person with course and activity completion data
course	A course identifier
gradefinal	Final grade received for course completion
unenrolled	If the user has been unenrolled from the course
timecompleted	The time that the course was completed.

▼ [core_countries](#)

This subsystem does not store any data.

▼ [core_course](#)

core_completion subsystem_link	The course contains completion information about the user.
---	--

core_favourites subsystem_link	The course contains information relating to the course being starred by the user.
---	---

coursecat_management_p erpage user_preference	The number of courses to show per page.
---	---

▼ [core_currencies](#)

This subsystem does not store any data.

▼ [core_customfield](#)

customfield_data database_table	Represents custom field data saved to a context
fieldid	Field definition ID
instanceid	Instance ID related to the data
intvalue	Data value, when it is an integer
decvalue	Data value, when it is a decimal
shortcharvalue	Data value when it is a short character
charvalue	Data value when it is a character
value	Data value, when it is a text
valueformat	The format of the value, when it is a text
timecreated	Time when data was created
timemodified	Time when data was last modified
contextid	The ID of the context where the data was saved

customfield plugintype_link	Fields for various components
--	-------------------------------



[core_files](#)
subsystem_link

File attached to the custom field data

▼ [core_dbtransfer](#)

This subsystem does not store any data.

▼ [core_debug](#)

This subsystem does not store any data.

▼ [core_editor](#)

htmleditor
user_preference

Text editor preference.

▼ [core_edufields](#)

This subsystem does not store any data.

▼ [core_enrol](#)

user_enrolments
database_table

The core enrol plugin stores enrolled users.

status

The status of the user enrolment in a course

enrolid

The instance of the enrolment plugin

userid

The ID of the user

timestart

The time when the user enrolment starts

timeend

The time when the user enrolment ends

modifierid

The ID of the user who last modified the user enrolment

timecreated

The time when the user enrolment was created

timemodified

The time when the user enrolment was modified

▼ [core_error](#)

This subsystem does not store any data.

▼ [core_favourites](#)

favourite
database_table

Stores references to items which have been starred.

userid

The ID of the user who starred the item

component

The component which the starred item belongs to e.g. core_user

itemtype

The starred item type e.g. course

itemid

The identifier for the item being starred

ordering

A number used to order starred items of the same type

timecreated

The time when the item was starred

timemodified

The time when the starred item was last modified

▼ [core_filepicker](#)

This subsystem does not store any data.



▼ [core_fileconverter](#)

[fileconverter](#)
pluginintype_link

The fileconverter subsystem acts as a channel, passing requests from plugins to the various fileconverter plugins.

▼ [core_files](#)

files database_table	A record of the files uploaded or shared by users
contenthash	A hash of the file's content
filepath	The path to the file in its file area
filename	The name of the file in its file area
userid	The user who created the file
filesize	The size of the file
mimetype	The MIME type of the file
source	The source of the file
author	The author of the file's content
license	The licence of the file's content
timecreated	The time when the file was created
timemodified	The time when the file was last modified

[core_userkey](#)
subsystem_link

A private token is generated and stored. This token can be used to access Moodle files without requiring you to log in.

▼ [core_filters](#)

The Filter subsystem does not store any personal data.

▼ [core_form](#)

filemanager_recentviewmode user_preference	Recently selected view mode of the file picker element.
--	---

▼ [core_grades](#)

grade_outcomes database_table	A record of outcomes
timemodified	The time when the record was modified
usermodified	The user who last modified the record
grade_outcomes_history database_table	A record of previous versions of outcomes
timemodified	The time when grade versioning occurred
loggeduser	The ID of the user who was logged in when the versioning occurred
grade_categories_history database_table	A record of previous versions of grade categories
timemodified	The time when grade versioning occurred
loggeduser	The ID of the user who was logged in when the versioning occurred

grade_items_history A record of previous versions of grade items



grade_items_history database_table	A record of previous versions of grade items
timemodified	The time when grade versioning occurred
loggeduser	The ID of the user who was logged in when the versioning occurred
scale database_table	A record of scales
userid	The user who last modified the record
timemodified	The time when the record was last modified
scale_history database_table	A record of previous versions of scales
userid	The user who last modified the record
timemodified	The time when grade versioning occurred
loggeduser	The ID of the user who was logged in when the versioning occurred
grade_grades database_table	A record of grades
userid	The ID of the user whose grade it is
usermodified	The ID of the user who last modified the record
finalgrade	The grade
feedback	The feedback
information	Additional information about the grade
timemodified	The time when the grade was last modified
grade_grades_history database_table	A record of the previous grades
userid	The ID of the user whose grade it is
usermodified	The ID of the user who last modified the record
finalgrade	The grade
feedback	The feedback
information	Additional information about the grade
timemodified	The time when grade versioning occurred
loggeduser	The ID of the user who was logged in when the versioning occurred
grade_import_newitem database_table	Temporary table for storing new grade_item names from grade import
itemname	New grade item name
importcode	A unique batch code for identifying one batch of imports
importer	User importing the data
grade_import_values database_table	Temporary table for importing grades
userid	User whose grade was imported
finalgrade	Raw grade value
feedback	Grade feedback
importcode	A unique batch code for identifying one batch of imports
importer	User importing the data
importonlyfeedback	Flag if only feedback was imported
core_files subsystem_list	Feedback files stored in the gradebook for a user.



▼ [core_grading](#)

grading_definitions database_table	Basic information about an advanced grading form defined in a gradable area.
method	The grading method which is responsible for the definition.
areaid	The area ID where the advanced grading form is defined.
name	The name of the advanced grading definition.
description	The description of the advanced grading method.
status	The status of this advanced grading definition.
copiedfromid	The grading definition ID from where this was copied.
timecopied	The time when the grading definition was copied.
timecreated	The time when the grading definition was created.
usercreated	The ID of the user who created the grading definition.
timemodified	The time when the grading definition was last modified.
usermodified	The ID of the user who last modified the grading definition.
options	Some settings of this grading definition.

grading_instances database_table	Assessment record for one gradable item assessed by one rater.
raterid	The ID of the user who rated the grading instance.
rawgrade	The grade for the grading instance.
status	The status of this grading instance.
feedback	The feedback given by the user.
feedbackformat	The text format of the feedback given by the user.
timemodified	The time when the grading instance was last modified.

gradingform plugintype_link	Data for the grading method.
---------------------------------------	------------------------------

▼ [core_group](#)

groups_members database_table	A record of group membership.
groupid	The ID of the group.
userid	The ID of the user which is associated to the group.
timeadded	The timestamp indicating when the user was added to the group.

core_message subsystem_link	The group conversations
---------------------------------------	-------------------------

▼ [core_help](#)

This subsystem does not store any data.

▼ [core_hub](#)

This subsystem does not store any data.

▼ [core_h5p](#)

H5P subsystem does not store any personal data.



▼ [core_imscc](#)

This subsystem does not store any data.

▼ [core_install](#)

This subsystem does not store any data.

▼ [core_iso6392](#)

This subsystem does not store any data.

▼ [core_langconfig](#)

This subsystem does not store any data.

▼ [core_license](#)

This subsystem does not store any data.

▼ [core_mathslib](#)

This subsystem does not store any data.

▼ [core_media](#)

Media embedding does not store any personal data.

▼ [core_message](#)

messages database_table	Messages
useridfrom	The ID of the user who sent the message
conversationid	The ID of the conversation
subject	The subject of the message
fullmessage	The full message
fullmessageformat	The format of the full message
fullmessagehtml	The HTML format of the full message
smallmessage	A small version of the message
timecreated	The time when the message was created
customdata	Custom data, usually containing internal IDs and a public URL of the sender image (user or group)

message_user_actions database_table	The list of message user actions
userid	The ID of the user who performed this action
messageid	The ID of the message this action belongs to
action	The action that was performed
timecreated	The time when the action was created

message_conversation_members database_table	The list of users in a conversation
---	-------------------------------------



database_table	
conversationid	The ID of the conversation
userid	The ID of the user in a conversation
timecreated	The time when the member was created
<hr/>	
message_conversation_actions	The list of conversation user actions
database_table	
conversationid	The ID of the conversation this action belongs to
userid	The ID of the user who performed this action
timecreated	The time when the action was created
<hr/>	
message_contacts	The list of contacts
database_table	
userid	The ID of the user whose contact list we are viewing
contactid	The ID of the user who is a contact
timecreated	The time when the contact was created
<hr/>	
message_contact_requests	The list of contact requests
database_table	
userid	The ID of the user who sent the contact request
requesteduserid	The ID of the user who received the contact request
timecreated	The time when the contact request was created
<hr/>	
message_users_blocked	The list of blocked users
database_table	
userid	The ID of the user who performed the blocked action
blockeduserid	The ID of the user who was blocked
timecreated	The time when the blocked action was created
<hr/>	
notifications	Notifications
database_table	
useridfrom	The ID of the user who sent the notification
useridto	The ID of the user who received the notification
subject	The subject of the notification
fullmessage	The full notification
fullmessageformat	The notification format
fullmessagehtml	The HTML of the notification
smallmessage	The small message of the notification
component	The component responsible for sending the notification
eventtype	The event type
contexturl	The URL related to this notification
contexturlname	The name of the context
timeread	The time when the notification was read
timecreated	The time when the notification was created
customdata	Custom data, usually containing internal IDs and a public URL of the sender picture (if any)
<hr/>	
core_message_messageprovider_settings	Settings related to messaging
user_preference	



▼ [core_mimetypes](#)

This subsystem does not store any data.

▼ [core_mnet](#)

The MNet plugin does not store any personal data.

▼ [core_my](#)

user_home_page_preference	The user home page preference.
ce	
user_preference	

▼ [core_notes](#)

post	The Notes component stores user notes within the core subsystem.
database_table	
content	The content of the note.
courseid	The ID of the course associated with the note
created	The creation date/time for the note.
lastmodified	The last modified date/time for the note.
publishstate	The publish state of the note.
userid	The ID of the user associated with the note

▼ [core_pagetype](#)

This subsystem does not store any data.

▼ [core_pix](#)

This subsystem does not store any data.

▼ [core_plagiarism](#)

plagiarism	The plagiarism subsystem acts as a channel, passing requests from plugins to the various plagiarism plugins.
plugin_type_link	

▼ [core_plugin](#)

This subsystem does not store any data.

▼ [core_portfolio](#)

portfolio_instance_user	Stores data about portfolio instances and preferences.
database_table	
instance	Portfolio identifier
userid	User ID
name	Preference name
value	Value for the preference

portfolio_log database_table	Log of portfolio transfers (used to later check for duplicates)
userid	ID of user who exported content
time	Time of transfer (in the case of a queued transfer this is the time the actual transfer ran, not when the user started it)
caller_class	Name of the class used to create the transfer
caller_component	Component name responsible for exporting

portfolio_tempdata database_table	Stores temporary data for portfolio exports.
data	Export data
expirytime	Time this record will expire
userid	User performing export
instance	Portfolio plugin instance being used

portfolio plugin_type_link	The portfolio subsystem acts as a channel, passing requests from plugins to the various portfolio plugins.
--------------------------------------	--

▼ [core_privacy](#)

The privacy subsystem does not store any data of its own and is designed to act as a channel between components and the interface used to describe, export, and remove their data.

▼ [core_question](#)

question_attempts database_table	The information about an attempt at a specific question.
flagged	An indication that the user has flagged this question within the attempt.
responsesummary	A summary of the question response.
timemodified	The time that the question attempt was updated.

question_attempt_steps database_table	Each question attempt has a number of steps to indicate the different phases from beginning to completion to marking. This table stores the information for each of these steps.
state	The state of this question attempt step at the end of the step transition.
timecreated	The date and time that this step transition begun.
fraction	The grade that was awarded to this question attempt scaled to a value out of 1.
userid	The user who performed the step transition.

question_attempt_step_data database_table	Question attempt steps may have additional data specific to that step. The data is stored in the step_data table.
name	The name of the data item.
value	The value of the data item.

question database_table	The details about a specific question.
name	The name of the question.
questiontext	The question text.
generalfeedback	The general feedback for this question.
timecreated	The date and time when this question was created.
timemodified	The date and time when this question was updated.



createdby The person who created the question.
modifiedby The person who last updated the question.

[qtype](#)
plugintype_link The Question subsystem interacts with the Question Type plugintype which contains the different types of questions.

[qformat](#)
plugintype_link The Question subsystem makes use of the Question Format plugintype for the purpose of importing and exporting questions in different formats.

[qbehaviour](#)
plugintype_link The Question subsystem makes use of the Question Behaviour plugintype.

▼ [core_rating](#)

rating
database_table The user-entered rating is stored alongside a mapping of the item which was rated.

rating The numeric rating that the user entered.

userid The user who made the rating.

timecreated The time that the rating was first made.

timemodified The time that the rating was last updated.

▼ [core_repository](#)

repository_instances
database_table The Repository plugins component stores user repository instances data within the core subsystem.

name The custom name of the repository instance.

typeid The ID type of the repository instance.

userid The ID of the user owning the repository instance.

username The optional username configured for the repository instance.

password The optional password configured for the repository instance.

timecreated The date/time of creation for the repository instance.

timemodified The date/time of modification of the repository instance.

[repository](#)
plugintype_link The Repository component stores the repository types within the core subsystem.

▼ [core_rss](#)

[core_userkey](#)
subsystem_link User's keys used to access RSS from a URL

▼ [core_role](#)

role_capabilities
database_table The capabilities and override capabilities for a particular role in a particular context

roleid The ID of the role

capability The name of the capability.

permission The permission for a capability: inherit, allow, prevent or prohibit.

timemodified The date when the capability was created or modified.

modifierid The ID of the user who created or modified the capability

role_assignments
database_table This table stores the assigned roles in each context.



roleid	The ID of the role
userid	The ID of the user
timemodified	The date when the role assignment was created or modified.
modifierid	The ID of the user who created or modified the role assignment
component	Plugin responsible for role assignment, empty when manually assigned.
itemid	The ID of enrolment/auth instance responsible for this role assignment

definerole_showadvanced Handle the toggle advanced mode button.
user_preference

▼ [core_search](#)

The search subsystem does not store any personal data.

▼ [core_table](#)

This subsystem does not store any data.

▼ [core_tag](#)

tag database_table	The details of each unique tag are stored alongside their description and other related information
name	The name of the tag - this is the normalised version of the name.
rawname	The name of the tag - this is the display name.
description	The description of the tag.
flag	Whether a tag has been flagged as inappropriate.
timemodified	The time that the tag was last modified.
userid	The ID of the user who created the tag.

tag_instance database_table	The link between each tag and where it is used.
tagid	The link to the tag.
ordering	The relative order of this tag.
timecreated	The time that this tag was linked to the target.
timemodified	The time that this tag was modified for the target.
tiuserid	Where shared content can be individually tagged by users, the owner of the tag instance is stored.

▼ [core_timezones](#)

This subsystem does not store any data.

▼ [core_user](#)

user database_table	This table stores the main personal data about the user.
id	The user ID
auth	The authentication plugin used for this user record.
confirmed	If this is an active user or not.
policyagreed	A flag to determine if the user has agreed to the site policy.
deleted	A flag to show if the user has been deleted or not.



suspended	A flag to show if the user has been suspended on this system.
mnethostid	An identifier for the MNet host if used
username	The username for this user.
password	The password for this user to log into the system.
idnumber	An identification number given by the institution
firstname	The first name of the user.
lastname	The surname of the user.
email	An email address for contact.
emailstop	A preference to disable notifications from being sent to the user.
icq	The ICQ number of the user.
skype	The Skype identifier of the user
yahoo	The Yahoo identifier of the user
aim	The AIM identifier of the user
msn	The MSN identifier of the user
phone1	A phone number for the user.
phone2	A phone number for the user.
institution	The institution that this user is a member of.
department	The department that this user can be found in.
address	The address of the user.
city	The city of the user.
country	The country that the user is in.
lang	A user preference for the language shown.
calendartype	A user preference for the type of calendar to use.
theme	A user preference for the theme to display.
timezone	The timezone of the user
firstaccess	The time that this user first accessed the site.
lastaccess	The time that the user last accessed the site.
lastlogin	The last login of this user.
currentlogin	The current login for this user.
lastip	The last IP address for the user.
secret	Secret.. not sure.
picture	The picture details associated with this user.
url	A URL related to this user.
description	General details about this user.
maildigest	A setting for the mail digest for this user.
maildisplay	A preference for the user about displaying their email address to other users.
autosubscribe	A preference as to if the user should be auto-subscribed to forums the user posts in.
trackforums	A preference for forums and tracking them.
timecreated	The time this record was created.
timemodified	The time when the record was modified
trustbitmask	The trust bit mask
imagealt	Alternative text for the user's image.
lastnamephonetic	The phonetic details about the user's surname.
firstnamephonetic	The phonetic details about the user's first name.
middlename	The middle name of the user
alternatename	An alternative name for the user.

user_password_history database_table	A rotating log of hashes of previously used passwords for the user.
userid	The user ID linked to this table.
hash	A hash of a previous password.
timecreated	The time this record was created



timecreated

The time this record was created.

user_password_resets

A table tracking password reset confirmation tokens

database_table

userid

The user ID linked to this table.

timerequested

The time that the user first requested this password reset

timererequested

The time the user re-requested the password reset.

token

secret set and emailed to user

user_lastaccess

Information about the last time a user accessed a course.

database_table

userid

The user ID linked to this table.

courseid

Course ID

timeaccess

The time for access to the course.

user_devices

This table stores user's mobile devices information in order to send PUSH notifications

database_table

userid

The user ID linked to this table.

appid

The app ID, usually something like com.moodle.moodlemobile

name

The device name, occam or iPhone etc..

model

The device name, occam or iPhone etc..

platform

The device platform, Android or iOS etc

version

The device version, 6.1.2, 4.2.2 etc..

pushid

The device PUSH token/key/identifier/registration ID

uuid

The device vendor UUID

timecreated

The time this record was created.

timemodified

The time when the record was modified

course_request

Stores information about requests for courses that users make.

database_table

fullname

The fullname for this course.

shortname

A short name for the course.

summary

A description of the course.

category

The category identifier

reason

The reason for requesting this course.

requester

The ID of the user who requested the course

sessions

Database based session storage

database_table

state

0 means a normal session

sid

The session ID

userid

The user ID linked to this table.

sessdata

Session content

timecreated

The time this record was created.

timemodified

The time when the record was modified

firstip

The first IP address recorded

lastip

The last IP address for the user.

my_pages

User pages - dashboard and profile. This table does not contain personal data and only used to link dashboard blocks to users

database_table

userid

The user who owns this page or 0 for system defaults



name	Page name
private	Whether or not the page is private (dashboard) or public (profile)

user_preferences database_table	Preferences associated with the given user
userid	The user ID
name	Preference name
value	Preference value

core_files subsystem_link	There are multiple different files for the user stored in the files table.
--	--

▼ [core_userkey](#)

user_private_key database_table	Private keys for the user.
script	The script which is responsible for the user key.
value	The value of the key.
userid	The user associated with the key.
instance	The instance of the script.
iprestriction	The IP address range that this key can be used from.
validuntil	The date that the private key is valid until
timecreated	The date and time that the key was created.

▼ [core_webservice](#)

external_tokens database_table	A record of tokens for interacting with Moodle through web services or Mobile applications.
token	The user's token
privatetoken	A more private token occasionally used to validate certain operations, such as SSO
tokentype	The type of token
userid	The ID of the user whose token it is
creatorid	The ID of the user who created the token
iprestriction	IP restricted to use this token
validuntil	The date that the token is valid until
timecreated	The date when the token was created
lastaccess	The date when the token was last used

external_services_users database_table	A list of users who can use a certain external service
userid	The ID of the user
iprestriction	IP restricted to use the service
validuntil	The date that the authorisation is valid until
timecreated	The date when the record was created

▼ [core](#)

config_log database_table	The log of configuration changes.
userid	The user who made the change.
timemodified	The time that the change was made.



plugin	The plugin modified.
name	The name of the setting changes.
value	The new value for this setting.
oldvalue	The previous value for this setting.

upgrade_log database_table	The upgrade log.
type	The type of log entry.
plugin	The plugin which was upgraded.
version	The old version of the plugin.
targetversion	The new version to upgrade to.
info	The main information for this upgrade step.
details	Extra information relating to the upgrade.
backtrace	Any backtrace associated with this upgrade step.
userid	The user who ran the upgrade.
timemodified	The time that the upgrade took place.

task_adhoc database_table	The status of ad hoc tasks.
component	The component owning the task.
nextruntime	The earliest time to run this task.
userid	The user to run the task as.

task_log database_table	Log output for a log
component	The component owning the task.
userid	The user that the task belonged to.

events_queue database_table	The queue of user events waiting to be processed.
eventdata	The data stored in the event.
stackdump	Any stacktrace associated with this event.
userid	The user ID associated with this event
timecreated	The time that this event was created.

log database_table	A collection of past events
time	The time when the action took place
userid	The ID of the user who performed the action
ip	The IP address used at the time of the event
action	A description of the action
url	The URL related to the event
info	Additional information



Admin - Hidden Blocks (only visible to admins)

Site Information

[Moodle help for Students](#)

[Moodle help for Staff](#)

[Terms of use](#)

[UK email access - information](#)

[China email access - information](#)

[Malaysia email access - information](#)

Get in touch

China

[+86 \(0574\) 8818 0000 \(ext.8915\)](tel:+86(0574)88180000)

e-learning-support@nottingham.edu.cn

Malaysia

[+6 \(03\) 8924 8199](tel:+6(03)89248199)

ITServiceDesk@nottingham.edu.my

United Kingdom

[+44 \(0115\) 9516677 \(24hrs\)](tel:+44(0115)9516677)

itservicedesk@nottingham.ac.uk

<https://selfservice.nottingham.ac.uk>

© Copyright 2020 University of Nottingham

[Get the mobile app](#)

